## ISLEVER

# 050-664

Novell edirectory design and implementation

DEMO

### https://www.islever.com/050-664.html https://www.islever.com/novell.html

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

#### **QUESTION NO: 1**

Which utility is used to merge NDS trees?

- A. DSVIEW
- **B. DSMERGE**
- C. DSREPAIR
- D. NDS Manager
- E. NetWare Administrator

#### Answer: B

#### **QUESTION NO: 2**

Which of the following is included in designing an administrative strategy when creating a user environment plan?

- A. Review users application needs.
- B. Design a strategy for mobile users.
- C. Review users' legacy network services needs.
- D. Gather information related to physical network resource needs.
- E. Specify guidelines about how NDS objects will be used to create the user environment.

#### Answer: B

#### **QUESTION NO: 3**

What is the recommended time implementation for a business that has three servers in a single location?

- A. One primary server and two secondary servers.
- B. One reference server and two primary servers.
- C. One reference server and two secondary servers.
- D. One single reference server and two primary servers.
- E. One single reference server and two secondary servers.

#### Answer: E

#### **QUESTION NO: 4**

When NTP is loaded, which file is read?

A. NTP.CFG B. STARTUP.NFC C. INITSYS.NFC D. TIMESYNC.CFG E. AUTOEXEC.NFC

Answer: A

#### **QUESTION NO: 5**

Which NLMs does time synchronization use in a pure IP environment? (Choose two)

A. SAP.NLM B. NTP.NLM C. IPX.NLM D. NCP.NLM

E. TIMESYNC.MLM

#### Answer: B,E

#### **QUESTION NO: 6**

Which utilities allow you to change the time synchronization type for a server? (Choose two)

- A. MONITOR.NLM
- B. NDS Manager
- C. DSREPAIR.NLM
- D. NetWare Administrator
- E. The SET parameters at the server console.

#### Answer: A,E

#### **QUESTION NO: 7**

Which statement is true regarding a reference time server.

- A. It does not advertise itself as a time provider.
- B. It cannot coexist with other primary time servers.
- C. It gets its time from a single reference time server.
- D. It negotiates time with primary time servers, but does not adjust its internal clock.

#### Answer: D

#### **QUESTION NO: 8**

You have installed the first NetWare 5 server for Certpaper and accepted all default settings. What type of

time server is this server?

- A. Primary
- B. Reference
- C. Secondary
- D. Single reference
- E. Secondary reference

#### Answer: D

#### **QUESTION NO: 9**

What needs to be done to allow servers to find any time server, regardless of the tree it's in?

- A. Set Directory mode to off.
- B. Set timesync restart flag to on.
- C. Set Service Advertising Protocol to off.
- D. Set the default time server type to reference.

#### Answer: A

#### **QUESTION NO: 10**

You are the NDS expert for Certpaper . You are getting ready to merge the EMA\_2 tree into the EMA tree. You are using Serv1 from the EMA\_2 tree and Serv4 from the EMA tree to perform the merge. The following is the partition and replica listing for each tree EMA\_2[Root] EMA [Root] Serv1 Master Serv2 Read/write Serv3 Read/write Serv4 Read/write Serv5 Read/write Serv6 Read/write