ISLEVER

102-350

LPI Level 1 Exam 102, Junior Level Linux Certification, Part 2 of 2

DEMO

https://www.islever.com/102-350.html

https://www.islever.com/lpi.html

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

Topic 1, Shells, Scripting and Data Management

QUESTION NO: 1

Which bash option will prevent you from overwriting a file with a ">"?

A. set -o safe

B. set -o noglob

C. set -o noclobber

D. set -o append

E. set -o nooverwrite

Answer: C

Explanation:

QUESTION NO: 2

To test a shell script called myscript, the environment variable FOOBAR must be removed temporarily. How can this be done?

A. unset -v FOOBAR

B. set -a FOOBAR=""

C. env -u FOOBAR myscript

D. env -i FOOBAR myscript

Answer: C

Explanation:

QUESTION NO: 3

In the following command and its output,

echo \$\$

12942

What is 12942?

A. the process ID of the echo command

B. the process ID of the current shell

D. the process ID of the last backgrounded command
Answer: B
Explanation:
QUESTION NO: 4
Which command will print the exit value of the previous command to the screen in bash?
A. echo \$?
B. echo \$#
C. echo \$exit D. echo \$status
E. echo \$&
Answer: A
Explanation:
QUESTION NO: 5 CORRECT TEXT
What word will complete an if statement in bash such as the following:
if [-x "\$file"]; then
echo \$file
(Please provide the missing word only)
Answer: fi
QUESTION NO: 6 CORRECT TEXT
What word is missing from the following SQL statement?
update tablename fieldname='value' where id=909;
apadio tabionamo noidnamo valde where id-303,

C. the process ID of the last command executed

Answer: set, SET

QUESTION NO: 7

What output will the following command produce?

seq 1 5 20

A. 1

6

11

16

B. 1

5

10

15

C. 1

2

3

D. 2

3

4

5

E. 5

10

15

20

Answer: A Explanation:

QUESTION NO: 8

Which of the following SQL statements will select the fields name and address from the contacts table?

- A. SELECT (name, address) FROM contacts;
- **B.** SELECT (name address) FROM contacts;
- C. SELECT name, address FROM contacts;
- **D.** SELECT name address FROM contacts;