

ISLEVER

# 1D0-435

CIW JAVA XSCRIPT FUNDAMENTALS

DEMO

<https://www.islever.com/1d0-435.html>

<https://www.islever.com/ciw.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

---

**QUESTION NO: 1**

In JavaScript, ++x+ will add one to the value of x after the assignment is complete.

- A. FALSE
- B. TRUE

**Answer: A**

**QUESTION NO: 2**

\_\_\_\_\_ represent various attributes of an object, such as height, color, font size, sentence length, and so forth.

- A. Values
- B. behaviors
- C. Methods
- D. Properties

**Answer: D**

**QUESTION NO: 3**

A server named www.cobbwebdesign.com can set a cookie for the domain name www.microsoft.com.

- A. FALSE
- B. TRUE

**Answer: A**

**QUESTION NO: 4**

\_\_\_\_\_ is the process of creating new copies of an object

- A. Instantiation
- B. Repeating
- C. Replicating
- D. Object coding

**Answer: A**

---

**QUESTION NO: 5**

What does the following JavaScript code do"

```
"Hello, World!".length;
```

- A. Test the width of a literal string.
- B. Writes Hello, World to the screen.
- C. Test the length of a literal string.
- D. nothing

**Answer: C**

**QUESTION NO: 6**

In JavaScript the operator += will \_\_\_\_\_

- A. add together the operands and assign the result to the right operand.
- B. assign the value of the right operand to the left operand.
- C. do nothing because it should be =+.
- D. add together the operands and assign the result to the left operand.

**Answer: D**

**QUESTION NO: 7**

\_\_\_\_\_ is used frequently in JavaScript to combine text strings, especially in conjunction with prompt() and alert().

- A. Concatenation
- B. String()
- C. Instaniation
- D. Confirmation

**Answer: A**

**QUESTION NO: 8**

JavaScript is case sensitive, and the keyword "function" must be all lowercase.

- A. FALSE
- B. TRUE

---

**Answer: B**

**QUESTION NO: 9**

Cookies are commonly used to store information about a user to maintain state.

- A. FALSE
- B. TRUE

**Answer: B**

**QUESTION NO: 10**

A \_\_\_\_\_ is the specific color, width or height that belongs to the property of an object.

- A. method
- B. value
- C. property
- D. behavior

**Answer: B**

**QUESTION NO: 11**

\_\_\_\_\_ developed JavaScript.

- A. Netscape
- B. IBM
- C. W3C
- D. Microsoft

**Answer: A**

**QUESTION NO: 12**

Function blocks begin with the keyword \_\_\_\_\_ followed by the function name.

- A. run
- B. SCRIPT
- C. function