

ISLEVER

1D0-635

CIW JavaScript Specialist

DEMO

<https://www.islever.com/1d0-635.html>

<https://www.islever.com/ciw.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

Note: The answer is for reference only, you need to understand all question.

QUESTION 1

Assuming the function `<body onload="DisplayName()">` is called, which script block will display Hello Joe in the document window after you enter the name Joe?

- A. `<script type="text/javascript">`
 `function DisplayName(void){`
 `var YourName = window.prompt("What is your name?","Please enter your name"); document.write("Hello " +`
 `YourName);`
 `}`
 `</script>`
- B. `<script type="text/javascript">`
 `function DisplayName(){`
 `var YourName = window.prompt("What is your name?","Please enter your name"); document.write("Hello " +`
 `YourName);`
 `}`
 `</script>`
- C. `<script type="text/javascript">`
 `function DisplayName(void){`
 `var YourName = document.prompt("What is your name?","Please enter your name"); document.write("Hello "`
 `+ YourName);`
 `}`
 `</script>`
- D. `<script type="text/javascript">`
 `function DisplayName(){`
 `var YourName = document.prompt("What is your name?","Please enter your name"); document.write("Hello`
 `" + yourname);`
 `}`
 `</script>`

Answer: B

QUESTION 2

Consider the following code fragment, which sets up the retrieval of an XML document named fish.xml and calls a function named showFish(): `var xmlhttp = new XMLHttpRequest(); xmlhttp.open("GET", "fish.xml", true); xmlhttp.onreadystatechange = showFish(); xmlhttp.send();` Which line of code initializes the XMLHttpRequest object?

- A. `xmlhttp.send();`
B. `var xmlhttp = new XMLHttpRequest();`

- C. xmlhttp.open("GET", "fish.xml", true);
- D. xmlhttp.onreadystatechange = showFish();

Answer: C

QUESTION 3

Which of the following demonstrate the correct syntax for the switch statement?

- A.

```
var myName= "Paul"
switch (myName){
case "Peter"
document.write("My name is Peter.<br />")
break
case "Paul"
document.write("My name is Paul.<br />")
break: (default);
document.write("I do not have a name.<br />")
}
```
- B.

```
var myName= "Paul"
switch (myName){
case "Peter"
document.write("My name is Peter.<br />")
break
case "Paul"
document.write("My name is Paul.<br />")
break: (default);
document.write("I do not have a name.<br />")
}
```
- C.

```
var myName= "Paul"
switch (myName){
case (Peter)
document.write("My name is Peter.<br />")
break
case (Paul)
document.write("My name is Paul.<br />")
break;
case: (default);
document.write("I do not have a name.<br />")
}
```
- D.

```
var myName= "Paul"
switch (myName){
case (Peter)
```

```
document.write("My name is Peter.<br />")
break
case (Paul)
document.write("My name is Paul.<br />")
break;
case: (default);
document.write("I do not have a name.<br />")
}
```

Answer: A

QUESTION 4

Consider the following code: `<script type="text/javascript"> var v1 = "alpha"; function f () { var v2 = "bravo"; alert (v1 + ", " + v2); } f(); v1="charlie"; alert (v1 + ", " + v2); </script>` What is the expected result when you run this script in the browser?

- A. An alert box displaying charlie, bravo
- B. An alert box displaying alpha, bravo followed by an error
- C. Two alert boxes displaying alpha, bravo and alpha, bravo respectively
- D. Two alert boxes displaying alpha, bravo and charlie, bravo respectively, followed by an error

Answer: B

QUESTION 5

Which of the following is a valid variable name in JavaScript?

- A. this
- B. that
- C. 2that
- D. 2this

Answer: B

QUESTION 6

What basic code is needed to define a function in JavaScript?

- A. `function myFunction { }`
- B. `define myFunction() { }`
- C. `function myFunction() { }`