1Y0-250

Implementing Citrix NetScaler 10 for App and Desktop Solutions

DEMO

QUESTION NO: 1

A company uses various pre-approved user devices in the environment, including mobile devices running iOS and Android operating systems.

Which two types of policies could an administrator use on the NetScaler Gateway virtual server to allow access to these mobile devices? (Choose two.)

A. Rewrite policies, including endpoint analysis scans
B. Session policies, excluding the endpoint analysis scans
C. Authorization policies, including the endpoint analysis scans
D. Pre-authentication policies, excluding the endpoint analysis scans

Answer: B,D
Explanation:

QUESTION NO: 2

An administrator plans to configure a NetScaler Gateway virtual server to be able to provide SmartAccess, endpoint analysis and network layer tunneling features.

Which client option should the administrator use for this scenario?

A. Offline plug-in
B. Online plug-in
C. Citrix Receiver
D. Access Gateway plug-in

Answer: D
Explanation:

QUESTION NO: 3

An administrator is planning a NetScaler Gateway implementation and must ensure that users are only allowed to access the company resources if a specific file is present on the endpoint device they connect from.

Which component should the administrator include within the plan?

A. An SSL Offload virtual server
B. A double-hop NetScaler Gateway virtual server
C. A Basic mode NetScaler Gateway virtual server
D. A SmartAccess mode NetScaler Gateway virtual server

Answer: D
Explanation:

QUESTION NO: 4

Which information is required to license a NetScaler VPX 1000?

A. NSIP
B. MAC address
C. NetScaler host name
D. Citrix License Server host name

Answer: B
Explanation:

QUESTION NO: 5

An administrator created a service for a Web Interface server that is encrypted by an SSL
certificate.

Which command should the administrator run at the command-line interface to create a monitor
that will check the Web Interface by logging on to it with a test user's credentials?

A. add lb monitor mon-WebInterface CITRIX-WI-EXTENDED -sitePath "/Citrix/XenApp" -
userName user -domain DomainName -password P@ssw0rd -encrypted
B. add lb monitor mon-WebInterface CITRIX-WI-EXTENDED -sitePath "/Citrix/XenApp" -
userName user -domain DomainName -password P@ssw0rd -secure YES
C. add lb monitor mon-WebInterface CITRIX-WI-EXTENDED -sitePath "/Citrix/XenApp" -
userName user -domain DomainName -password P@ssw0rd -destPort 443
D. add lb monitor mon-WebInterface CITRIX-WI-EXTENDED -sitePath "/Citrix/XenApp" -
userName user -domain DomainName -password P@ssw0rd -encrypted -secure YES

Answer: B
Explanation:

QUESTION NO: 6

Scenario: An administrator configured a NetScaler Gateway session policy named spol_ICAP. The administrator needs to bind the policy to ensure that it is evaluated only when users of the ICAP security group log on to the NetScaler Gateway virtual server named vsrv_AGEE.

Which command should the administrator run at the command-line interface to meet the needs of the scenario?

A. bind vpn vserver vsrv_AGEE ICAP
B. bind aaa group ICAP -policy spol_ICAP
C. bind aaa group ICAP -policy spol_ICAP -global OFF
D. bind vpn vserver vsrv_AGEE -policy spol_ICAP -priority 1

Answer: B
Explanation:

QUESTION NO: 7

An administrator plans to use only Citrix Receiver for XenDesktop remote access through a NetScaler Gateway device.

Which type of policy should the administrator configure to meet this requirement?

A. Session
B. Authentication
C. Clientless access
D. Pre-authentication

Answer: A
Explanation:

QUESTION NO: 8

Which configuration option should an administrator select to pass users' credentials to a file share in a NetScaler Gateway environment?