

ISLEVER

1Y0-351

Citrix NetScaler 10.5 Essentials and
Networking

DEMO

<https://www.islever.com/1y0-351.html>

<https://www.islever.com/citrix.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

A NetScaler Engineer has created a new custom user monitor script and needs to place it in the NetScaler filesystem for use.

Where must the engineer place the custom script so that it is available for use?

- A. /nsconfig/monitors
- B. /netscaler/monitors
- C. /var/nstemp/monitors
- D. /netscaler/monitors/perl_mod

Answer: A

Explanation:

QUESTION NO: 2

What are the supported protocols for management authentication?

- A. LOCAL, LDAP, and SAML
- B. RADIUS, LDAP and TACACS+
- C. CERTIFICATE, LDAP and SAML
- D. RADIUS, TACACS+ and CERTIFICATE

Answer: B

Explanation:

QUESTION NO: 3

Scenario: A NetScaler Engineer has discovered that the object home.php is NOT found in the cache on the system.

Below is the relevant configuration:

```
add cache contentGroup cache_content_group_1 -relExpiry 0
```

```
add cache policy cache_pol_1 -rule "http.REQ.URL.CONTAINS(\"home.php\")" -action MAY_CACHE -storeInGroup cache_content_group_1
```

```
add cache policy cache_pol_2 -rule "http.REQ.METHOD.EQ(\"GET\")" -action NOCACHE
```

add cache policy cache_pol_3 -rule "HTTP.RES.HEADER(\"Set-Cookie\").EXISTS" -action NOCACHE

bind cache global cache_pol_1 -priority 90 -gotoPriorityExpression END -type REQ_OVERRIDE

bind cache global cache_pol_2 -priority 100 -gotoPriorityExpression END -type REQ_OVERRIDE

bind cache global cache_pol_3 -priority 100 -gotoPriorityExpression END -type RES_OVERRIDE

The data from the client and the server are as following:

GET /home.php HTTP/1.1

Host: www.website.com

User-Agent: Mozilla Firefox/3.0.3

Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8

Accept-Language: en-us,en;q=0.5

Accept-Encoding: gzip,deflate

Accept-Charset: ISO-8859-1,utf-8;q=0.7,*;q=0.7

Keep-Alive: 300

Connection: keep-alive

Date: Thu, 09 Oct 2014 18:25:00 GMT

Cookie: sessionid=100xyz

HTTP/1.1 200 OK

Date: Thu, 09 Oct 2014 18:25:00 GMT

Server: Apache/2.2.3 (Fedora)

Last-Modified: Wed, 09 Jul 2014 21:55:36 GMT

ETag: "27db3c-12ce-5e52a600"

Accept-Ranges: bytes

Cache-Control: private, max-age=0

Set-Cookie: sessionid=100xyz; expires=Thu, 09-Oct-2014 18:30:00 GMT; path=/

Content-Length: 119

Connection: close

Content-Type: text/html; charset=UTF-8

Why does the object NOT persist in the cache?

- A. The request is a GET request.
- B. The response has Set-Cookie.
- C. The content group is missing a cache selector.
- D. The content group has been configured with relExpiry 0.

Answer: B

Explanation:

QUESTION NO: 4

Which two authentication types on the NetScaler support password changes? (Choose two.)

- A. TACACS+
- B. LDAP (TLS)
- C. LDAP (SSL)
- D. RADIUS (PAP)
- E. LDAP (PLAINTEXT)
- F. RADIUS (MSCHAPv2)

Answer: B,C

Explanation:

QUESTION NO: 5

Scenario: A NetScaler Engineer is viewing Authentication, Authorization and Access (AAA) events on the NetScaler appliance to determine why a user is unable to log on. The events below have been logged during this timeframe:

Fri Oct 17 18:17:16 2014

```
/usr/home/build/rs_80_48/usr.src/usr.bin/nsaaad/../../netscaler/aaad/ldap_drv.c[40]:  
start_ldap_auth attempting to
```

```
auth scottli @ 10.12.33.216
```