

ISLEVER

1Y0-992

CCEA XP MetaFrame XP Presentation Server,
Feature Release 3: Deployment and Support

DEMO

<https://www.islever.com/1y0-992.html>

<https://www.islever.com/citrix.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

.Which of the following is installed as part of the ICA client software?

- A. Citrix Secure ICA
- B. Citrix Remote Client Manager
- C. Citrix Installation Manager
- D. Citrix Remote Application Manager

Answer: D

Explanation:

Reference: P. 221 in Citrix® MetaFrame XP Server for Windows with Feature Release 3

QUESTION NO: 2

.Certpaper.com has just implemented a MetaFrame for UNIX server farm. The new VP of Operation is taking a crash course in MetaFrame technology and asks. "What is the difference between a published application and server connection?" which answer is correct?

- A. Having a published application enables applications to run on any of the configured Citrix servers in the server farm. A server connection can start an application or a server desktop on a specific server.
- B. Having a published application means that the application will only run on a specified machine. A server application means that it can run from any machine in the server farm.
- C. There is no difference.
- D. Published applications cannot be load balanced, but a server application can.

Answer: A

QUESTION NO: 3

.Which of the following does the ICA Passthrough not support?

- A. COM port mapping
- B. Clipboard mapping
- C. Client drive mapping
- D. Printer queue mapping

Answer: A

Explanation:

Reference: CCEA Exam Cram, isbn 1588800415, chapter 3

QUESTION NO: 4

.The Enable Sound field in the ICA client is not supported with session connected to a MetaFrame for UNIX serve.

- A. True
- B. False

Answer: A

QUESTION NO: 5

.What method for conducting scalability test iterations provides the most valid results?

- A. 1. Monitor server for 10 minutes with no users
2. Add users until the server fails
- B. 1. Monitor sever for 10 minutes with no users
2. Add a single user
3. Wait until the login process is complete
4. Repeat steps 2 and 3 until the server fails
- C. 1. Monitor server for 10 minutes with no users
2. Add 5 users
3. Wait 10 minutes
4. Repeat steps 2 and 3 until the server fails
- D. 1. Monitor server for 10 minutes with no users.
2. Add a single user
3. Wait 10 minutes
4. Repeat step 2 and 3 until the server fails

Answer: C

QUESTION NO: 6

.The ICA Client for 16-bit DOS works with version 3.3 or greater and supports DOS full screen mode.

- A. True
- B. False

Answer: A

QUESTION NO: 7

.Which of the following describes the ReadyConnect client?

- A. The ready Connect client creates the installation disks that are reconfigured with servers telephone number, server names and connection options.
- B. The ReadyConnect client create the installation disks that are reconfigured with the server's telephone number, network addresses and connection options.
- C. The ReadyConnect client create the installation disks that are reconfigured with the server's telephone number, network address, server name and connection options.
- D. The ReadyConnect client create the installation disks that are reconfigured with the server's telephone number, network addresses, server names, connection options and Secure ICA client information.

Answer: C

Explanation:

Reference: Citrix CCA Metaframe 1.8 for Windows exam cram, isbn 1576109453, glossary under "R"

QUESTION NO: 8

.How are pooled licenses distributed?

- A. Pooled licenses are distributed based on the client versions.
- B. Pooled licenses are distributed based on the number of logons.
- C. Pooled licenses are distributed based on the inherit pool license command on the MetaFrame server.
- D. Pooled licenses are distributed based on the number of physical devices accessing resources on the subnet.

Answer: D

Explanation:

Reference: p. 154 in Citrix® MetaFrame XP Server for Windows with Feature Release 3

QUESTION NO: 9

.When bitmap caching is used in a low-bandwidth network, what occurs?