

ISLEVER

1Z0-020

oracle8l:new features for administrators

DEMO

<https://www.islever.com/1z0-020.html>

<https://www.islever.com/oracle.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

Which two statements are true? (Choose two)

- A. Dimensions are based on summaries.
- B. The ALTER MATERIALIZED VIEW CONSIDER FRESH statement directs Oracle to consider the materialized view fresh, and therefore eligible for query rewrite in the TRUSTED or STALE_TOLERATED mode only.
- C. Summaries without dimensions are used for faster aggregation.
- D. Additional query rewrites at a higher level of aggregation can take place if summaries are created at the lowest level of aggregation.

Answer: A,D

QUESTION NO: 2

Which two statements are true? (Choose two)

- A. Composite partitioning supports local indexes.
- B. Composite partitioning supports hash-partitioned global indexes.
- C. Composite partitioning supports range-partitioned global indexes
- D. Composite partitioning supports composite-partitioned global indexes.

Answer: B,D

QUESTION NO: 3

Which tool, integrated with Oracle universal installer, can be used by third-party vendors to install their products as part of an Oracle installation?

- A. Oracle Software Packager.
- B. Java Run-Time environment.
- C. Database migration assistant.
- D. Optimal flexible architecture.

Answer: A

QUESTION NO: 4

Which two options are valid for LOBs during their creation? (Choose two)

- A. REDO

-
- B. NOREDO
 - C. LOGGING
 - D. NOLOGGING
 - E. RECOVERABLE
 - F. UNRECOVERABLE

Answer: C,D

QUESTION NO: 5

You set the PARALLEL_AUTOMATIC_TUNING initialization parameter to FALSE. What happens? (Choose two)

- A. Parallel execution buffers are allocated from the large pool.
- B. Parallel execution buffers are allocated from the shared pool.
- C. Only tables with a degree of parallelism specified will be scanned in parallel.
- D. A load balancing algorithm will be used to distribute evenly load across nodes in a multi instance PQ environment.

Answer: B,C

QUESTION NO: 6

Which parameter would you use to set up archiving to a remote machine?

- A. LOG_ARCHIVE_DEST
- B. LOG_ARCHIVE_DEST_2
- C. LOG_ARCHIVE_REMOTE_DEST
- D. ARCHIVE_REMOTE_DEST

Answer: A

QUESTION NO: 7

Which two factors can influence the time taken for instance recovery? (Choose two)

- A. Size of the redo log buffer.
- B. Value of FAST_START_TO_TARGET
- C. Size of the system tablespace.
- D. Value of RECOVERY_PARALLELISM
- E. The number of archived redo logs that have to be read.

F. The number of tables stored in the database buffer cache at the moment of failure.

Answer: B,D

QUESTION NO: 8

Examine this command:

```
ALTER SYSTEM SET USESTORED_OUTLINE = TRUE;
```

Which outline category will be used?

- A. SYS
- B. OUTLINE
- C. TRUE
- D. DEFAULT

Answer: D

QUESTION NO: 9

Which tablespace stores the segment of a temporary table?

- A. The default tablespace for user SYS.
- B. The temporary tablespace for user SYS.
- C. The default tablespace for the current user.
- D. The temporary tablespace for the current user.

Answer: D

QUESTION NO: 10 CORRECT TEXT

In your environment, you want the procedure to use the user's own tables. In defining your procedure, you should include a clause after the following code:

```
CREATE PROCEDURE local_update (table_name in VARCHAR2)
```

Type in the correct key word to begin the clause. Type only your answer. Do not type any extra words or characters.

Answer: invoker_rights_clause

QUESTION NO: 11