

ISLEVER

1Z0-050

Oracle Database 11g: New Features for
Administrators

DEMO

<https://www.islever.com/1z0-050.html>

<https://www.islever.com/oracle.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

Note: The answer is for reference only, you need to understand all question.

QUESTION 1

Identify the two direct sources from where SQL plans can be loaded into the SQL plan baselines.
(Choose two.)

- A. Cursor cache
- B. Stored outline
- C. SQL Tuning Set
- D. Automatic Workload Repository (AWR) snapshots

Answer: AC

QUESTION 2

Which two statements about workload capture and replay operations are true? (Choose two.)

- A. The clients must be created manually on the test machines to perform more realistic testing.
- B. Restart the database in RESTRICTED mode before beginning workload replay to enable a clean state for workload replay.
- C. Restart the database in RESTRICTED mode before beginning workload capture to enable a clean state for capturing the workload.
- D. The application state of the capture system must be identical to the application state of the replay system when the workload replay begins.

Answer: CD

QUESTION 3

View the Exhibit exhibit1 to examine the series of SQL commands.

```
SQL> SELECT signature, sql_handle, plan_name, origin, enabled,  
accepted, fixed, autopurge  
FROM dba_sql_plan_baselines;
```

SIGNATURE	SQL_HANDLE	PLAN_NAME	ORIGIN	ENABLED	ACCEPTED	FIXED
8.062E+18	SYS_SQL_6fe2	SYS_SQL_PLAN_1ea	AUTO-CAPTURE	YES	NO	NO
8.062E+18	SYS_SQL_6fe2	SYS_SQL_PLAN_4be	AUTO-CAPTURE	YES	YES	NO
...						
...						
...						

View the Exhibit exhibit2 to examine the plans available in the SQL plan baseline.

SQL> SHOW PARAMETER OPTIMIZER		
NAME	TYPE	VALUE
optimizer_capture_sql_plan_baselines	boolean	TRUE
optimizer_dynamic_sampling	integer	2
optimizer_features_enable	string	11.1.0.6
optimizer_index_caching	integer	0
optimizer_index_cost_adj	integer	100
optimizer_mode	string	ALL_ROWS
optimizer_secure_view_merging	boolean	TRUE
optimizer_use_invisible_indexes	boolean	FALSE
optimizer_use_pending_statistics	boolean	FALSE
optimizer_use_sql_plan_baselines	boolean	TRUE
SQL> SELECT * FROM sh.sales WHERE quantity_sold > 40 ORDER BY prod_id;		
SQL> SELECT * FROM sh.sales WHERE quantity_sold > 40 ORDER BY prod_id;		
SQL> ALTER SESSION SET OPTIMIZER_MODE=FIRST_ROWS;		
SQL> SELECT * FROM sh.sales WHERE quantity_sold > 40 ORDER BY prod_id;		

The baseline in the first row of the Exhibit is created when OPTIMIZER_MODE was set to FIRST_ROWS.

Which statement is true if the SQL query in exhibit1 is executed again when the value of OPTIMIZER_MODE is set to FIRST_ROWS?

- A. The optimizer uses a new plan because none of the plans in the exhibit2 are fixed plans.
- B. The optimizer uses the plan in the second row of the exhibit2 because it is an accepted plan.
- C. The optimizer uses the plan in the first row of the exhibit2 because it is the latest generated plan.
- D. The optimizer uses the plan in the first row of the exhibit2 because OPTIMIZER_MODE was set to FIRST_ROW during its creation.

Answer: B

QUESTION 4

Which statement describes the effect of table redefinition on the triggers attached to the table?

- A. All triggers on the table remain valid.
- B. All triggers on the table are invalidated and are automatically revalidated with the next DML execution on the table.
- C. All triggers on the table are invalidated and must be manually recompiled before the next DML execution on the table.
- D. Only triggers that are affected by the changes to the structure of the table are invalidated and automatically

revalidated with the next DML execution on the table.

Answer: B

QUESTION 5

USER_DATA is a nonencrypted tablespace that contains a set of tables with data. You want to convert all existing data in the USER_DATA tablespace and the new data into the encrypted format.

Which methods would you use to achieve this? (Choose all that apply.)

- A. Use Data Pump to transfer the existing data to a new encrypted tablespace.
- B. Use ALTER TABLE..MOVE to transfer the existing data to a new encrypted tablespace.
- C. Use CREATE TABLE AS SELECT to transfer the existing data to a new encrypted tablespace.
- D. Enable row movement for each table to be encrypted and then use ALTER TABLESPACE to encrypt the tablespace.
- E. Encrypt the USER_DATA tablespace using the ALTER TABLESPACE statement so that all the data in the tablespace is automatically encrypted.

Answer: ABC

QUESTION 6

Evaluate the following block of code:

```
BEGIN
DBMS_NETWORK_ACL_ADMIN.CREATE_ACL (
acl => 'mycompany-com-permissions.xml',
principal => 'ACCT_MGR',
is_grant => TRUE,
privilege => 'connect');
DBMS_NETWORK_ACL_ADMIN.ASSIGN_ACL (
acl => 'mycompany-com-permissions.xml',
host => '*.mycompany.com');
END;
```

What is the outcome of the above code?

- A. It produces an error because a fully qualified host name needs to be specified.
- B. It produces an error because the range of ports associated with the hosts has not been specified.
- C. It creates an access control list (ACL) with the user ACCT_MGR who gets the CONNECT and RESOLVE privileges.
- D. It creates an access control list (ACL) with the user ACCT_MGR who gets the CONNECT privilege but not the RESOLVE privilege.