# ISLEVER

1Z0-053

Oracle Database 11g: Administration II

**DEMO** 

https://www.islever.com/1z0-053.html

https://www.islever.com/oracle.html

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

# Topic 1, Pool 1

#### **QUESTION NO: 1**

Identify two situations in which you can use Data Recovery Advisor for recovery. (Choose two.)

- **A.** The user has dropped an important table that needs to be recovered.
- **B.** The database files are corrupted when the database is open.
- **C.** You are not able to start up the database instance because the required database files are missing.
- **D.** The archived log files are missing for which backup is not available.

Answer: B,C Explanation:

### **QUESTION NO: 2**

Examine the following values of the initialization parameters in the database having the SID ORCL:

BACKGROUND\_DUMP\_DEST=/u01/app/oracle/product/11.1.0/db\_1/bdump

USER\_DUMP\_DEST=/u01/app/oracle/product/11.1.0/db\_1/udump

CORE\_DUMP\_DEST=/u01/app/oracle/product/11.1.0/db\_1/cdump

DIAGNOSTIC DEST=

The environment variables have the following value:

ORACLE\_BASE=/u01/app/oracle

ORACLE\_HOME=/u01/app/oracle/product/11.1.0/db\_1

What is the location of the Automatic Diagnostic Repository (ADR) home?

- A. /u01/app/oracle/product/11.1.0/db\_1
- B. /u01/app/oracle
- C. \$ORACLE\_HOME/bdump
- **D.** \$ORACLE\_HOME/log

Answer: B Explanation:

1

### **QUESTION NO: 3**

Observe the following PL/SQL block:

**BEGIN** 

dbms\_spm.configure('SPACE\_BUDGET\_PERCENT', 30);

END;

Which statement is correct regarding the above PL/SQL block?

- **A.** It automatically purges the SQL management objects when SMB occupies more than 30% of the SYSAUX tablespace.
- B. It reserves 30% of the space in the SYSAUX tablespace for SQL Management Base (SMB).
- **C.** It reserves 30% of the space in the SYSTEM tablespace for SMB.
- **D.** It generates a weekly warning in the alert log file when SMB occupies more than 30% of the SYSAUX tablespace.

Answer: D Explanation:

#### **QUESTION NO: 4**

You are managing an Oracle Database 11g ASM instance having three disks in a disk group with ASM compatibility attribute set to 11.1.0 and redundancy set to high. One of the disks in the disk group becomes unavailable because of power failure. Which statements will be true in this scenario? (Choose all that apply.)

- **A.** The disk is immediately dropped from the disk group.
- B. The ASM tracks the extents that are modified during the outa
- **C.** The ASM migrates the extents from the unavailable disk to the remaining disks.
- **D.** The disk automatically goes offline.

Answer: B,D Explanation:

# **QUESTION NO: 5**

Which statements are true regarding table compression? (Choose all that apply.)

**A.** It saves disk space and reduces memory usage.

- **B.** It saves disk space but has no effect on memory usage.
- C. It incurs extra CPU overhead during DML as well as direct loading operations.
- **D.** It incurs extra CPU overhead during DML but not direct loading operations.
- **E.** It requires uncompress operation during I/O.

Answer: A,C Explanation:

#### **QUESTION NO: 6**

You are working as a DBA on the decision support system. There is a business requirement to track and store all transactions for at least three years for a few tables in the database. Automatic undo management is enabled in the database. Which configuration should you use to accomplish this task?

- A. Enable Flashback Data Archive for the tables.
- **B.** Specify undo retention guarantee for the database.
- **C.** Enable supplemental logging for the database.
- **D.** Query V\$UNDOSTAT to determine the amount of undo that will be generated and create an undo tablespace for that size.
- **E.** Create Flashback Data Archive on the tablespace on which the tables are stored.

Answer: A Explanation:

# **QUESTION NO: 7**

Which components are needed for successful and most efficient recovery.

- **A.** The backup RB3 and the current online redo log files
- B. the backup RB2 and the archived redo log files after the log sequence number 15622
- C. Backup R81 and the archived redo log hies after the log sequence number 12871
- **D.** The backup RB3 and the archived redo log files after the log sequence number 16721

Answer: A Explanation:

**QUESTION NO: 8**