

ISLEVER

# 1Z0-100

Oracle Linux 5 and 6 System Administration

DEMO

<https://www.islever.com/1z0-100.html>

<https://www.islever.com/oracle.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

---

**QUESTION NO: 1**

Which two statements are true concerning the installation and configuration of the bootloader by the Anaconda installer, which is then used to boot Oracle Linux?

- A. The Linux Loader (LILO) bootloader may be chosen for installation.
- B. The bootloader must be password protected and Anaconda prompts for a password in all cases.
- C. The Grand Unified Bootloader (GRUB) is the only bootloader used by Oracle Linux.
- D. If previously installed operating systems are found on disk partitions that were not overwritten, then an attempt is made to configure the bootloader to be able to boot them.
- E. The bootloader is installed by default in the first partition of the disk.

**Answer: A,E**

**Explanation:** A (not C): Linux boot process from hard drive:

1. PC initialization phase - BIOS, POST.
2. PC starts boot loader - usually grub or lilo.
3. The bootloader locates kernel image on the hard drive.
4. The kernel decompresses and loads itself. Once finished it tries to mount the root filesystem.
5. When the root filesystem is mounted, /sbin/init is executed and continues booting the system using inittab and /etc/rc\*.d scripts

**QUESTION NO: 2**

You want to display the value of a shell variable called service after assigning a value as shown:

```
SERVICE =ACCT S
```

Which two settings will display the name of the variable and its value?

- A. set | grep service
- B. echo \$SERVICE
- C. env | grep SERVICE
- D. env \$SERVICE
- E. set \$SERVICE

**Answer: B,C**

**Explanation:** C: env - set the environment for command invocation

If no utility operand is specified, the resulting environment shall be written to the standard output, with one name= value pair per line.

---

### QUESTION NO: 3

Which statements is true concerning Oracle Linux configuration files for users and groups?

- A. The `/etc/passwd` file contains hashed passwords for each user.
- B. The `/etc/shadow` file contains hashed passwords for each user.
- C. The GECOS field in `/etc/passwd` file may be empty.
- D. The `/etc/group` file contains the group name and the hashed group password.

**Answer: B**

**Explanation:** `/etc/shadow` file stores actual password in encrypted (one-way hashed) format for user's account with additional properties related to user password i.e. it stores secure user account information

### QUESTION NO: 4

Examine these statements and their output taken right after successful install of Oracle Linux:

```
[root@FAROUT /] rpm -q firstboot
```

```
Firstboot -1.110.10-1.0.2.e16.x86_64
```

```
[root @FAROUT /] # chkconfig - - list firstboot
```

```
Firstboot 0:off 2:off 3:off 4:off 5:off 6:off
```

```
[root@FAROUT /] # /etc/sysconfig/firstboot
```

```
RUN_FIRSTBOOT=NO
```

What is the conclusion?

- A. The option to run firstboot was deselected during Oracle Linux installation.
- B. The system was installed with desktop graphical packages and rebooted and the firstboot utility ran successful.
- C. Firstboot never ran in any run level because the service is turned off for all run levels.
- D. The system was installed without selecting desktop graphical packages, thereby disabling firstboot from running.

---

**Answer: A**

**Explanation:** Firstboot is set to off for all levels.

Example:

The rm command below remove or delete the firstboot file in order to make sure the firstboot program running when we restart or reboot the Fedora machine.

```
[root@fedora ~]# rm /etc/sysconfig/firstboot
rm: remove regular file `/etc/sysconfig/firstboot'? y
[root@fedora ~]#
```

Then check and make sure that firstboot program or firstboot service is run when your Fedora startup/boot up.

Check firstboot services

```
[root@fedora ~]# chkconfig --list firstboot
firstboot 0:off 1:off 2:off 3:off 4:off 5:off 6:off
[root@fedora ~]#
```

## QUESTION NO: 5

Which three settings can be controlled by using the chage breemar command as the root user, to modify the parameters in the /etc/shadow file?

- A. The expiration date of the breemar account
- B. The number of days after the breemar account is locked, that it becomes expired
- C. The maximum number of days that must elapse between password changes by the user breemar before the password becomes invalid
- D. The number of days after the breemar account is locked, that it becomes unlocked
- E. The minimum number of days that must elapse between password changes by the user breemar
- F. The maximum number of failed login attempts on the breemar account before the account is locked

**Answer: A,C,E**

**Explanation:** A: chage -E, --expiredate EXPIRE\_DATE

Set the date or number of days since January 1, 1970 on which the user's account will no longer be accessible.

CE: You need to use chage command to setup password aging.

The chage command changes the number of days between password changes