

ISLEVER

1Z0-264

Hyperion Essbase Analytics 9.3 Developer

DEMO

<https://www.islever.com/1z0-264.html>

<https://www.islever.com/oracle.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

Which of the following characterizes the top member in an alternate hierarchy?

- A. Generation 1 member
- B. Marked label only
- C. Marked excluded from consolidation (~)

Answer: C

QUESTION NO: 2

Which options are available to manipulate fields in Data Prep Editor?

- A. Create using text, Delete, and Move
- B. Create using join, Split, and Copy
- C. Join, Move, and Split

Answer: C

QUESTION NO: 3

View the Exhibit.



What terminology best describes the member Act Vs Bud in the Scenario dimension shown here?

- A. Sibling of Act VsFcst, descendant of Scenario, leaf node, generation 3 member
- B. Descendant of Scenario Variances, root member, sibling of Act VsFcst, generation 3 member
- C. Level 0 member, child of Scenario Variances, generation 4 member, sibling of Bud Vs Fcst

Answer: A

QUESTION NO: 4

View the Exhibit.



The outline shown in the exhibit is an example of:

- A. Fiscal year crossover time design
- B. Generic time design
- C. Scenario-based time design

Answer: B

QUESTION NO: 5

During a CALC ALL or CALC DIM process, Analytic Services calculates sparse and dense dimensions in a specific sequence. What makes the default calculation sequence so efficient?

- A. Analytic Services calculates interior block calculations in existing blocks before creating more data blocks
- B. Analytic Services creates all possible data blocks before calculating accounts data
- C. Analytic Services creates data blocks in top-down order

Answer: A

QUESTION NO: 6

What statistics are available in the Database Properties dialog box? (Choose all that apply.)

- A. Block density
- B. Block index
- C. Existing upper-level blocks
- D. Page file density
- E. Block size

Answer: A,C,E

QUESTION NO: 7

Theoretically, if all database dimensions were configured sparse, what would the data block size be?

- A. 1 byte
- B. 4 bytes
- C. 8 bytes

Answer: C

QUESTION NO: 8

What do data load rules files enable you to do?

- A. Load data from a SQL data source, scale data, change signs on data
- B. Ignore fields, add missing dimensions, calculate data
- C. Add missing dimensions add prefixes of suffixes, sort data records

Answer: A