

ISLEVER

1Z0-402

Oracle Enterprise Linux: Fundamentals

DEMO

<https://www.islever.com/1z0-402.html>

<https://www.islever.com/oracle.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

Identify the true statement about configure script.

- A. It depends on make to create the Makefiles.
- B. It creates the necessary Makefiles based on the user information.
- C. It creates the required directories and subdirectories on the system.
- D. It does not depend on the autoconf tool for the package installation.

Answer: B

QUESTION NO: 2

You have logged in as a normal user bob and use write and wall to chat with other users. How are you able to chat with other user terminals?

- A. because the SGID bit is set on both the write and wall commands, and the group ownership is set to root
- B. because the SUID bit is set on both the write and wall commands, and the group ownership is set to tty
- C. because the SUID bit is set on both the write and wall commands, and the group ownership is set to root
- D. because the SGID bit is set on both the write and wall commands, and group ownership is set to tty

Answer: D

QUESTION NO: 3

The user smith issued the `egrep "^[: upper:]" words.txt` command. What does this command do?

- A. displays all lines in the words.txt file that contains an uppercase letter
- B. displays all lines in the words.txt file that begins with an uppercase letter
- C. displays all lines in the words.txt file after translating uppercase letters to lowercase
- D. displays all lines in the words.txt file after translating lowercase letters to uppercase

Answer: B

QUESTION NO: 4

User smith on station2 is trying to chat with the remote user bob on station1 using the talk command, smith receives an error message as shown below:

```
[smith@station2 ~]$talk bob@station1.example.com
[No connection yet]
[ Error on read from talk daemon: Connection refused ]
[smith@station2 ~]$
```

What can the root user do to resolve the issue? (Choose two.)

- A. let smith retry talk by reading from STDIN and sending to bob
- B. let smith retry talk after changing the group of talk command to tty
- C. let smith retry the talk request with UDP port 518 open on both systems
- D. let smith retry talk after restarting the xinetd service with ntalk enabled on both systems
- E. let smith retry talk after restarting the network service with the UDP port 517 blocked on both systems

Answer: C,D

QUESTION NO: 5

Which command could user smith use to change the time stamps of the file1 and dir1 given below, to the current system time?

```
[smith@server1 ~]$ ls -l
-rw-rw-r--1 smith smith 6 Jan 20 10:01 file1
drwxrwxr-x 2 smith smith 4096 Jan 20 10:54 dir1
```

- A. cat
- B. stat
- C. time
- D. file
- E. touch

Answer: E

QUESTION NO: 6

The /projects directory is being shared by server1 with the share name datashare through samba. To access the shared directory as bob you issue the following command:

```
smbclient //server1/datashare -U 'bob%foouser'
```

What happens when you execute the command?

-
- A. All the samba shares on server1 will be displayed.
 - B. bob will be prompted for a password to access the share.
 - C. All the shares on server1 accessible to bob will be displayed.
 - D. The share will be accessed with the credentials of bob without being prompted for a password.

Answer: D

QUESTION NO: 7

What would be the output of the nested for loop given below?

```
for(( r=1; i<=5; i++ ))
do
for(( i=1; j<=i; j++ ))
do
echo -n "$j"
done
echo " "
done
```

- A. 1
12345
- B. 12345
- C. 12345
12345
12345
12345
12345
- D. 12345
12345

Answer: A

QUESTION NO: 8

Why is a Linux operating system always developed and released under a common standard known as Linux Standard Base (LSB)?

- A. to avoid interoperability
- B. to avoid POSIX Compliance
- C. to ensure application-level diversity