

ISLEVER

1Z0-533

Oracle Hyperion Planning 11 Essentials

DEMO

<https://www.islever.com/1z0-533.html>

<https://www.islever.com/oracle.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

Note: The answer is for reference only, you need to understand all question.

QUESTION 1

What are the correct predefined types of base time periods that can be established when creating the calendar in a planning application?

- A. Weekly, Monthly, Quarterly, Custom
- B. Monthly, Quarterly, Custom
- C. Monthly, Quarterly, Weekly
- D. Weekly, Monthly, Quarterly, Yearly, Custom
- E. Only Custom periods are possible.

Answer: B

QUESTION 2

Identify the two statements about the Planning Import security utility.

- A. Imports Planning application access for users and group
- B. Imports users and groups into Planning
- C. Requires the source text file to be named PLANSECFILE.txt
- D. Can be scheduled to run nightly using an encrypted password
- E. Clears existing security definitions by default before the import takes place

Answer: AE

QUESTION 3

Identify the two true statements about a sparse Entity dimension In Hyperion Planning.

- A. You cannot build alternate rollups or assign custom attributes.
- B. Base currencies are assigned to entity members.
- C. Exchange rates are assigned to entity members.
- D. Entity along with Scenario and Period make up a planning unit.
- E. Entity along with Scenario and Version make up a planning unit.

Answer: BE

QUESTION 4

In a non-multicurrency Planning application, what three things happen if all options are checked for Refresh

Database?

- A. Dimension and member changes are pushed to Essbase.
- B. Cell text and supporting detail changes are pushed to Essbase.
- C. Security filters for dimensions and members are pushed to Essbase.
- D. Security filters for shared members are pushed to Essbase.
- E. Data changes are pushed to Essbase.

Answer: ABE

QUESTION 5

You are designing a monthly projection Planning application. A starting point projection file is received with the current month data. Data forms, Business Rules, and Essbase data load rules, and reports should always focus on the current projection month. What is the most efficient way to design the components to reduce maintenance each month?

- A. Manually update the forms each month and use a "CurMth" substitution variable for Business Rules, Essbase data load rules, and reports.
- B. Manually update the forms each month; Use "CurMo" Global variable for Business Rules and use a "CurMth" substitution variable for Essbase data load rules, and reports.
- C. Use the Planning data form utility to update data forms and use a "CurMth" substitution variable for Business Rules, Essbase data load rules, and reports.
- D. Use a "CurMth" substitution variable for data forms, Business Rules, Essbase data load rules, and reports.
- E. Use the Planning data form utility to update data forms; Use "CurMo" Global variable for Business Rules and use a "CurMth" substitution variable for Essbase data load rules, and reports.

Answer: E

QUESTION 6

Identify three key benefits of the Planning solution.

- A. Standardized data forms for plan data entry available both on the Web and in Excel
- B. One tool to budget and forecast as well as provide reporting for very detailed Actuals Information
- C. Central repository of business rules that can be run by end users to calculate plan data
- D. Detailed security down to the cell level
- E. Flexible solution customizable for almost any kind of budgeting and forecasting process

Answer: ACE

QUESTION 7

The budget office analyst needs to enter and plan data, use the Planning spreading feature that allow* users to spread budget data based on last year's actuals, and modify data forms. What two roles should be provisioned for this user?

- A. Grid Spread
- B. Planner
- C. Interactive User
- D. Mass Allocate
- E. Offline User

Answer: AD

QUESTION 8

You are designing the storage properties for your Planning application. What two design principles should you follow related to the dynamic calc storage property?

- A. Dynamically calculated members should roll up to stored members.
- B. You cannot calculate and store dynamic calculated members in calc scripts and business rules.
- C. Consider dynamic calc members on sparse parents with 100 t children.
- D. Tagging upper-level members of sparse dimensions can reduce block size.
- E. If you use a large number of dynamic calcs, you should consider increasing the Dynamic Calculator Cache.
- F. Consider Dynamic Calc and Store over Dynamic Calc.

Answer: CE

QUESTION 9

Identify the two true statements with regard to Versions and Scenarios.

- A. Versions control data entry based on time periods set by the administrator.
- B. There is only one Version to one Scenario.
- C. Versions allow several "what-if" Scenarios.
- D. Users must have the same security settings in the Version dimension as they have in the Scenario dimension.
- E. Versions can be top down or bottom up.

Answer: CD