1Z0-630

Siebel7.7 Analytics Server Architect
Professional Core Exam

DEMO

https://www.islever.com/1z0-630.html
https://www.islever.com/oracle.html

QUESTION NO: 1

When double-clicking ABC.rpd in the Analytics/Repository directory, the Analytics Server architect gets the message. The repository 'ABC.rpd' can only be opened as Read-Only. Do you want to open it? What can you tell from that message? Choose two.

A. Siebel Analytics Server is running
B. Siebel Analytics Web service is running
C. ABC.rpd is a default repository specified in the NQSConfig.ini
D. ABC.rpd is a special repository that can only be opened in online mode

Answer: A,C

QUESTION NO: 2

What information does the Administration Tool log when checking out a project? Choose three.

A. Machine name
B. User privileges
C. Repository file size
D. Projects
E. Time

Answer: A,D,E

QUESTION NO: 3

Which of the following object-level security action settings are done in the Siebel Analytics repository using the Administration Tool? Choose two.

A. Assign users to a Web catalog group
B. Create a new repository group
C. Create a new user in the repository
D. Create a Web catalog group
E. Define permissions for dashboard

Answer: B,C

QUESTION NO: 4

Siebel Answer's subject areas correspond to which Analytics Administration Tool layer?

A. Presentation layer

B. Business Model and Mapping layer

C. Physical layer

D. Metadata layer

Answer: A

QUESTION NO: 5

How do you invoke Time Series Wizard in the Siebel Analytics Administration Tool?

A. In the Business Model and Mapping layer, select a business model and right-click > Time Series Wizard

B. In the Physical layer, select a schema folder and right-click > Time Series Wizard

C. In the Presentation layer, select a catalog folder and right-click > Time Series Wizard

D. From the File menu, select Time Series Wizard

E. From the Manage menu, select Time Series Wizard

Answer: A

QUESTION NO: 6

Which of the following is NOT true of the Siebel Analytics repository?

A. Physical layers can have multiple data sources

B. Objects within a presentation catalog can derive from multiple business models

C. By default, a presentation column uses the same name as its logical column in the Business Model and Mapping layer

D. Key columns do not get exposed to the UI so it is acceptable to delete them in the Presentation layer

E. Business Model and Mapping layer can have multiple data sources

Answer: B

QUESTION NO: 7

What do the logical joins do? Choose two.

A. They help the Analytics Server choose best physical path between multiple physical tables in each logical table

B. They calculate measurable quantities

C. They are always the same as the physical joins

D. They determine cardinality between logical tables

Answer: A,D

QUESTION NO: 8

Which of the following is NOT true of consistency check?

A. It guarantees that the business model is correctly built

B. You can check the whole repository's consistency or just a business model's consistency

C. It finds logical columns that are not mapped to physical sources

D. It checks for undefined logical join conditions

Answer: A

QUESTION NO: 9

To set the number of elements at each level of a dimension, which number would you use?

A. The number of columns in a logical table

B. The number of levels in a dimension

C. The number of dimensions in a business model

D. The number of tables in a physical model

E. The number of distinct rows in a physical column

Answer: E

QUESTION NO: 10

Which of the following is NOT necessary when specifying the most economical source?

A. Create a new physical table source manually

B. Create a new logical table source manually

C. Select the physical table

D. Specify the content

Answer: A

QUESTION NO: 11