

ISLEVER

1Z0-899

Java Platform, EE 6 Web Component
Developer Certified Expert Exam

DEMO

<https://www.islever.com/1z0-899.html>

<https://www.islever.com/oracle.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

Given the element from the web application deployment descriptor:

```
<jsp – property – group>
```

```
<url – pattern>/main/page1.jsp</url – pattern>
```

```
<scripting – invalid>true</scripting – invalid>
```

```
</jsp—property—group>
```

And given that /main/page1.jsp contains:

```
<% int i = 12; %>
```

```
<b> <%= i %> </b>
```

What is the result?

- A.
- B. 12
- C. The JSP fails to execute.
- D. <% int i = 12 %>
 <%= i % > < b>

Answer: C

Explanation:

QUESTION NO: 2

A web application allows the HTML title banner to be set using a context initialization parameter called titlestr.

Which two properly set the title in the scenario? (Choose two)

- A. <title> \$ {titlestr} </title>
- B. <title> \$ {initparam.titlestr}</title>
- C. <title> \$ {param [0]. titlestr} </title>
- D. <title> \$ {paramValues.titleStr} </title>
- E. <title> \$ {iParam ['titleStr']} </title>
- F. <title> \$ {servletParams.titleStr} </title>

G. <title> \$ {request.get ("titleStr") } </title>

Answer: B,E

Explanation:

QUESTION NO: 3

Given:

11. <%

12. request.setAttribute ("vals", new String[] {"1", "2", "3", "4"});

13. request.setAttribute ("index", "2");

14. %>

15. <% - - insert code here - - %>

Which three EL expressions, inserted at line 15, are valid and evaluate to "3"? (Choose three)

A. \${vals.2}

B. \${vals ["2"] }

C. \${vals.index}

D. \${vals[index] }

E. \${vals} [index]

F. \${vals. (vals.index) }

G. \${vals [vals[index-1]] }

Answer: B,D,G

Explanation:

QUESTION NO: 4

Given:

```
11. <% java.util.Map map = new java.util.HashMap();
12.     request.setAttribute("map", map);
13.     map.put("a", "b");
14.     map.put("b", "c");
15.     map.put("c", "d"); %>
16. <!-- insert code here --%>
```

Which three EL expressions, inserted at line 16, are valid and evaluate to “d”? (Choose three)

- A. `${map.c}`
- B. `${map.[c]}`
- C. `${map.[“c”]}`
- D. `${map.map.b}`
- E. `${map.[map.b]}`
- F. `${map. (map.b)}`

Answer: A,C,E

Explanation:

QUESTION NO: 5

You are building a dating service web site. Part of the form to submit a client's profile is a group of radio buttons for the person's hobbies:

- 20. `<input type = 'radio' name = 'hobbyEnum' value = 'HIKING'> Hiking
`
- 21. `<input type = 'radio' name = 'hobbyEnum' value = 'SKING'> Sking
`
- 22. `<input type = 'radio' name = 'hobbyEnum' value = 'SCUBA'> SCUBA
`
- 23. `<! - - and more options - - >>`

After the user submits this form, a confirmation screen is displayed with these hobbies listed. Assume that an application-scoped hobbies, holds a map between the hobby enumerated type and the display name.

Which EL code snippet will display Nth element of the user's selected hobbies?

- A. `${hobbies [hobbyEnum[N]}`
- B. `${hobbies [paramValues.hobbyEnum[N]]}`
- C. `${hobbies [paramValues @ 'hobbyEnum' @N]}`
- D. `${hobbies.get(paramValues.hobbyEnum[N]) }`
- E. `${hobbies [paramValues.hobbyEnum.get(N)] }`

Answer: B

Explanation: