

ISLEVER

# 250-251

Administration of HA Solutions for UNIX (VCS  
5.0)

DEMO

<https://www.islever.com/250-251.html>

<https://www.islever.com/symantec.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

---

**QUESTION NO: 1**

Which resource type attributes can be set in order to tune VCS failover characteristics? (Choose two.)

- A. Flags
- B. RestartLimit
- C. ToleranceLimit
- D. OfflineTimeout
- E. OfflineMonitorInterval

**Answer: B,C**

**QUESTION NO: 2**

Which feature of VCS can prevent overloading of a system's resources in the event of service group failover?

- A. Parallel Service Groups
- B. Capacities
- C. Limits
- D. Load Failover Policy

**Answer: C**

**QUESTION NO: 3**

Which attribute enables VCS to bring a resource online after it goes offline unexpectedly and before faulting the resource?

- A. RestartLimit
- B. OnlineRestartLimit
- C. AutoRestartLimit
- D. OnlineRetryLimit

**Answer: A**

**QUESTION NO: 4**

Which VCS resource attribute setting prevents VCS from interpreting a Monitor entry point timeout as a resource fault?

- 
- A. MonitorFault=0
  - B. MonitorFaultTimeout=240
  - C. FaultMonitor=240
  - D. FaultOnMonitor=4

**Answer: D**

**QUESTION NO: 5**

Under which condition can a service group be AutoDisabled?

- A. Whenhashadow cannot restart HAD on a system
- B. When the system is in a jeopardy membership
- C. When a firm service group dependency exists between two service groups and the parent service group fails
- D. When a firm service group dependency exists between two service groups and the child service group fails

**Answer: A**

**QUESTION NO: 6**

Which attributes impact service group failover? (Choose three.)

- A. FailOver
- B. AutoFailOver
- C. Faulted
- D. FaultPropagation
- E. Frozen

**Answer: B,D,E**

**QUESTION NO: 7**

Which resource type attributes can be set in order to tune VCS failover characteristics? (Choose two.)

- A. AutoStart
- B. ConfInterval
- C. ConfTimeout
- D. MonitorInterval

---

E. OfflineMonitorInterval

**Answer: B,D**

**QUESTION NO: 8**

Which statement is true about the violation trigger?

- A. A violation trigger must be written as a shell script.
- B. A violation trigger and notification are mutually exclusive.
- C. A violation trigger is dependent on notification to work.
- D. A violation trigger is automatically executed when events occur.

**Answer: D**

**QUESTION NO: 9**

During a test of a NIC resource the VCS engine log indicates that the service group and the IP resource enter the FAULTED state on all systems in the cluster. The NIC resource enters the ONLINE state after the root cause of the fault is corrected. Which default attribute setting allows the service group to attempt to start without manual intervention?

- A. AutoStart
- B. AutoClear
- C. AutoRestart
- D. AutoFailover

**Answer: C**

**QUESTION NO: 10**

Which types of monitoring can be performed on Oracle resources? (Choose two.)

- A. Detail monitoring
- B. Basic level monitoring
- C. Kernel level monitoring
- D. Specific monitoring
- E. Service monitoring

**Answer: A,B**