ISLEVER

500-005

Installing Cisco TelePresence Video Immersive Systems

DEMO

https://www.islever.com/500-005.html

https://www.islever.com/cisco.html

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

Which TX90)00 display	/ choice is	best for	reducing	possible	issues	with	viewing	angles	s for
conference	participant	ts?								

- A. LCD
- B. plasma
- C. LED
- D. CRT
- E. HDTV

Answer: B Explanation:

QUESTION NO: 2 CORRECT TEXT

Using the following table, correctly identify the location of each component.

Where is each component located?

Left Panel

Center Panel

Right Panel

TS4 Codec

A1: B1: TS2 Codec

TS1 Codec

A2: B2: C2: TS3 Codec

Answer: C1, A2, A3, C4

QUESTION NO: 3

Which two factors are crucial to the immersive Cisco TelePresence experience? (Choose two.)

- A. aesthetics
- **B.** acoustics
- C. room shape

D. number of windows E. number of active participants F. ceiling height
Answer: A,B
Explanation:
QUESTION NO: 4
The control cable for the 42-inch Auto Collaboration display connects to which component?
A. PS1 codec
B. presentation codecC. LCU
D. AV expansion box
Answer: C
Explanation:
QUESTION NO: 5
Which of these determines the specific role for each codec?
A. the firmware
B. wiring position
C. software revisionD. Cisco Unified Communications Manager configuration
Answer: B Explanation:
QUESTION NO: 6
When using the TX9000 AV expansion box, how many total video output signals can be obtained using a single video input?
A. one
B. two

C. three	
D. four	
E. five	
F. six	
Answer: D	
Explanation:	
QUESTION NO: 7	
Which device is connected to the TX9000 AV expansion box for video input?	
A. presentation (TS4) codec	
B. collaboration/presentation display	
C. center (TS1) codec	
D. built-in video splitter	
E. left (TS2) and right (TS3) codec	

QUESTION NO: 8

Answer: A Explanation:

Which three components does the LCU control? (Choose three.)

- A. the lighting fixture power
- B. the primary codec AV input controls
- C. the projector
- D. the room HVAC controls
- **E.** the LCD settings
- F. the PTZ camera controls
- G. the yaw of the camera cluster

Answer: A,C,E Explanation:

QUESTION NO: 9

From where does the LCU receive its instructions?