

ISLEVER

500-006

Implementing Cisco TelePresence Video
Solution, Part 2

DEMO

<https://www.islever.com/500-006.html>

<https://www.islever.com/cisco.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

Which Cisco TelePresence C Series Codec command will move the on-screen display to monitor output 4?

- A. configuration video osd output: 4
- B. xconfiguration video osd output: 4
- C. command video osd output: 4
- D. xcommand video osd output: 4

Answer: B

Explanation:

QUESTION NO: 2

Which menu on the Cisco TelePresence VCS should you refer to in order to verify that an endpoint has registered?

- A. Application
- B. Status
- C. Security
- D. Configuration

Answer: B

Explanation:

QUESTION NO: 3

After you change the IP address of a Cisco TelePresence Codec C90, you are unable to use Telnet or a browser to connect to that address. However, you are able to use ping to connect to the new address. What are the two possible causes? (Choose two.)

- A. The configuration failed and there is another device with the same address that responds to the ping.
- B. The codec disabled the Telnet and HTTP services after the IP address change.
- C. The codec needs to reboot after the IP address change in order to bind the services to the new address.
- D. The gatekeeper configuration failed and you need to set up the gatekeeper address and the discovery type again.

Answer: A,C

Explanation:

QUESTION NO: 4

The camera remote control is not responding. What can an engineer check in order to determine if the camera remote control or the system is causing the problem?

- A. The monitor is on the right channel.
- B. The switch inside the remote control is switched on.
- C. The light flashes on the camera when a key is pressed.
- D. The batteries are correctly placed within the remote.

Answer: C

Explanation:

QUESTION NO: 5

Which two items should you check on the local Cisco TelePresence C Series Codec when audio is not received? (Choose two.)

- A. The microphone is plugged in.
- B. The microphone is turned on in the menus.
- C. The volume on the monitor is turned up.
- D. The far end is sending audio.

Answer: C,D

Explanation:

QUESTION NO: 6

You are having trouble upgrading the Cisco TelePresence C Series Codec system using the web interface. How else might you attempt the upgrade?

- A. Use the API command interface.
- B. Use the HTTP or HTTPS Interface.
- C. Use the menus and a USB drive.
- D. Use the remote ISDN connection.

Answer: B

Explanation:

QUESTION NO: 7

How many digital video inputs does a Cisco TelePresence Codec C40 have?

- A. 2**
- B. 0**
- C. 1**
- D. 3**
- E. 5**

Answer: D

Explanation:

QUESTION NO: 8

What will happen if the local zone on a Cisco TelePresence VCS does not have a search rule?

- A. Calls to locally registered devices will fail.**
- B. Calls from locally registered devices will fail.**
- C. Calls to externally registered devices will fail.**
- D. Calls from externally registered devices will fail.**

Answer: A

Explanation:

QUESTION NO: 9

How can you independently restore the default links on a Cisco TelePresence VCS?

- A. with an xcommand from the API**
- B. by performing a factory reset**
- C. from the bandwidth configuration section of the web interface**
- D. by performing a reboot**

Answer: A