## ISLEVER

# 640-893


Supporting Cisco Data Center System Devices v1.0 (DCTECH)

DEMO

### https://www.islever.com/640-893.html https://www.islever.com/cisco.html

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

#### **QUESTION NO: 1**



Refer to the exhibit The pictures on the fight ate the internal components of the Cisco UCS 6250 Blade Server Which component image should be applied to which empty component block?

A. CPU for block A, adapter card for block B, hard drive for block C. memory for block D
B. CPU for block C. adapter card for block D, hard drive for block A. memory for block B
C. CPU for block B, adapter card for block C, hard drive for block D, memory for block B
D. CPU for block D. adapter card for block A. hard drive for block B. memory for block C

Answer: A Explanation:

#### **QUESTION NO: 2**

Which two commands or key sequences display a list of the available commands in the Cisco NX-OS prompt UCS-switch (nxos) #? (Choose two)

A. Tab (key) B. help

```
C. ?
D. ~ (tilde key)
E. w
4
```

Answer: B,C Explanation:

**QUESTION NO: 3** 

Overall Server Status Good Server Admin Summary Inventory Sensors System Event Log Remote Presence BIOS	CPUS Memgry Power Supplies Storage Adapters CPUS Memgry Power Sup
	CPU2 Socket Name: CPU2 Vendor: Intel(R) Corporation Status: Enabled Version: Intel(R) Xeon(R) CPU X5550 @ 2.67GHz Number of Cores: 4 Signature: Type 0, Family 6, Model 26, Stepping 5 Number of Threads: 8

Refer to the exhibit

Which tab displays the hard disk drives that are installed1?

A. A-CPUs

- B. B Memory
- C. Power Supplies
- D. D Storage
- E. E -Adapters

Answer: D Explanation:

#### **QUESTION NO: 4**

When the Cisco UCS Manager is used to verify the B- or C-Series device types of Overall Status

are acceptable and do not indicate failure? (Choose two.)

A. OnlineB. OKC. UnassociatedD. Active

Answer: B,C Explanation:

#### **QUESTION NO: 5**

Which cable is used to access the command-line interface of a Cisco UCS 6120XP Fabric Interconnects?

- A. KVM cable
- **B.** console cable
- C. Ethernet cable
- D. SFP+ Ethernet transceiver cable

Answer: B Explanation:

#### **QUESTION NO: 6**

Which cable is used to access the command-line -interface of a Cisco UCS 6120XP Fabric Interconnects?

- A. KVM cable
- **B.** console cable
- C. Ethernet cable
- D. SFP+ Ethernet transceiver cable

Answer: B Explanation:

**QUESTION NO: 7**