ISLEVER

642-162

IP Contact Center Express Implementation Exam

DEMO

https://www.islever.com/642-162.html

https://www.islever.com/cisco.html

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

Which two items does the Cisco CRS 4.5 Installer always install on the system? (Choose two.)

- A. Cisco UnifiedCallManager
- B. Java plug-in
- C. Cisco UnifiedCallManager BARS Utility
- D. SQL 2K Server

Answer: B,C

QUESTION NO: 2

What are the components of the JTAPI Subsystem? (Choose three.)

- A. call control groups
- B. RM provider
- C. trigger
- D. CTI ports
- E. provider
- F. CMT Dialog Control Group

Answer: A,C,E

QUESTION NO: 3

When a valid SQL Query in a DB Read step returns 0 rows, which branch of the step will be executed?

- A. SQL Error
- B. Connection Not Available
- C. Timeout
- D. Successful

Answer: D

QUESTION NO: 4

Which two steps check out a database connection from the connection pool? (Choose two.)

- A. DB Get
- B. DB Release

1

C. DB Write

D. DB Read

Answer: C,D

QUESTION NO: 5

Which three Cisco CRS upgrade paths are supported? (Choose three.)

A. Cisco CRS 2.2 to Cisco CRS 3.5

B. Cisco CRS 3.1 to Cisco CRS 4.0

C. Cisco CRS 2.2 to Cisco CRS 4.0

D. Cisco CRS 4.0 to Cisco CRS 4.5

E. Cisco CRS 4.0 to Cisco CRS 3.0

F. Cisco CRS 3.5 to Cisco CRS 4.0

Answer: A,B,F

QUESTION NO: 6

When would the Cisco Supervisor Desktop fail to show an agent that is logged in?

A. The agent is an IP phone agent.

- B. The agent is not in the team currently being viewed by the supervisor.
- C. The agent is not on a call.
- D. The agent is not ready.

Answer: B

QUESTION NO: 7

What does it mean for a variable in the Application Editor to be defined as a parameter?

- A. The value for that variable can be supplied via Application Configuration in Application Administration.
- B. The variable can be used in conditional steps.
- C. The variable can be used to pass data to and from subflows.
- D. The value for that variable is defined by the calling application.
- E. The variable can be used to pass data to and from Voice XML applications.

Answer: A

QUESTION NO: 8

Which feature is added when upgrading from IPCC Express Standard to Enhanced?

- A. WrapUp timer
- B. text chat
- C. WrapUp State
- D. competency-based routing
- E. Log Out/Not Ready reason codes

Answer: D

QUESTION NO: 9

In CRS Administration, when you add a JTAPI Call Control Group, what is created on the Cisco CallManager?

- A. CTI Route Points and directory numbers
- B. CTI ports
- C. CallManager Call Control Group
- D. CRS Call Control Group
- E. CRS JTAPI User
- F. CRS CTI Route Point

Answer: B

QUESTION NO: 10

What is the maximum number of CTI ports for a Cisco Unified Contact Center Express 4.0 Standard deployment?

- A. varies based on the number of expansion servers used
- B. 300
- C. 200
- D. varies based on the number of applications configured
- E. 150

Answer: B