

ISLEVER

642-992

Data Center Unified Fabric Solutions
Implementation (DCUFI)

DEMO

<https://www.islever.com/642-992.html>

<https://www.islever.com/cisco.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

Note: The answer is for reference only, you need to understand all question.

QUESTION 1

How many paths can be considered in NX-OS for equal-cost multipathing?

- A. 4
- B. 8
- C. 12
- D. 16

Answer: D

QUESTION 2

In the Cisco Nexus 7010 architecture, In-Service Software Upgrades are enabled by which of the following components or features?

- A. kickstart image
- B. rapid switchover
- C. automated configuration
- D. plug-in based services and features

Answer: D

QUESTION 3

Which three of these statements are true about the M1 32-port, 10-Gb Ethernet Module in shared mode on a Cisco Nexus 7010 Switch with two fabric modules? (Choose three.)

- A. 21 ports are disabled.
- B. All 32 ports can be used.
- C. Total bandwidth capacity is 92 Gb/s.
- D. N+1 redundancy cannot be accomplished.
- E. 230 Gb/s bandwidth is available to the fabric.

Answer: BCD

QUESTION 4

Which component of the Cisco Nexus 7018 architecture provides out-of-band management, an always-on microprocessor for disaster recovery, and remote restart capabilities?

- A. Fabric Module
- B. control plane with auxiliary port
- C. dedicated supervisor engine
- D. Connectivity Management Processor

Answer: D

QUESTION 5

Which two enhanced Ethernet features are required for FCoE? (Choose two.)

- A. multicast multipathing
- B. enhanced transmission selection
- C. priority flow control
- D. congestion notification
- E. virtual interface group

Answer: BC

QUESTION 6

Which three benefits does the N_Port Virtualization Cisco Nexus OS feature provide? (Choose three.)

- A. simplifies management
- B. assigns a unique Fibre Channel domain ID to the switch
- C. provides access to Fibre Channel and FCoE-connected servers
- D. extends the number of Fibre Channel domains from 256 to 512
- E. increases scalability by not requiring a Fibre Channel domain ID

Answer: ACE

QUESTION 7

On a Cisco NX-OS switch, what is the role of the kickstart image?

- A. provide kernel services
- B. provide driver services
- C. provide control plane services
- D. provide access services

Answer: A

QUESTION 8

Which statement about the management interface in the Cisco Nexus 7000 architecture is true?

- A. One mgmt0 interface is accessible from any VDC.
- B. Multiple mgmt0 interfaces exist, one per management VRF.
- C. Multiple mgmt0 interfaces exist, one per management VDC.
- D. The mgmt0 interface exists in the default VRF until it is assigned to another VRF.

Answer: A

QUESTION 9

VACLs support which two actions? (Choose two.)

- A. log
- B. block
- C. inspect
- D. forward
- E. redirect

Answer: DE

QUESTION 10

Which command enables uRPF in strict mode in the latest Cisco IOS release?

- A. ip verify unicast reverse-path
- B. ip verify unicast source reachable-via rx
- C. ip verify unicast source reachable-via any
- D. ip verify unicast any reachable-via strict

Answer: B

QUESTION 11

Which Cisco Nexus platform security feature provides an intelligent and scalable access control solution that mitigates security access risks across the entire network?

- A. IPsec
- B. Cisco TrustSec