

ISLEVER

650-322

SP Video Phase I

DEMO

<https://www.islever.com/650-322.html>

<https://www.islever.com/cisco.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

What is the downlink frequency of a C-band satellite?

- A. 3.7 - 4.2 GHZ
- B. 11.7 - 12.2 GHZ
- C. 55 - 870 MHZ
- D. 5 - 65 MHZ

Answer: A

QUESTION NO: 2

What type of conditional access is built into a Cisco integrated receiver decoder (IRD)?

- A. Digicypher
- B. Irderto
- C. PowerKey
- D. PowerVu

Answer: D

QUESTION NO: 3

What is the modulation format used in Digital Video Broadcast-S?

- A. QAM 256
- B. FDM
- C. QPSK
- D. FM

Answer: C

QUESTION NO: 4

What standard defines ad insertion in MPEG2 transport streams?

- A. SCTE 35
- B. SCTE 42
- C. SCTE 106
- D. SCTE 23

Answer: A

QUESTION NO: 5

What Cisco SPVTG product line converts RF to fiber optic?

- A. CMTS
- B. Prisma II
- C. CDS
- D. ISDP

Answer: B

QUESTION NO: 6

What are the three functions performed by the Headend?

- A. Reception, encoding and IP encapsulation
- B. Acquire, process and prepare for transport
- C. Reception, encoding and transport
- D. FTP, process and IP encapsulation

Answer: A

QUESTION NO: 7

What is the main difference between a video program in an ASI format versus a SDI format?

- A. SDI has audio channels
- B. ASI is a compressed format where SDI is uncompressed
- C. ASI is over coax, SDI is not
- D. ASI contains only 1 program, SDI can contain multiple

Answer: B

QUESTION NO: 8

What is the primary advantage of MPEG-4 part 10 over MPEG-2?

- A. MPEG 4 uses twice the bandwidth

-
- B. MPEG 2 can have more programs
 - C. MPEG 4 part 10 uses half the bandwidth
 - D. MPEG 2 can have less programs

Answer: C

QUESTION NO: 9

What is a series of compressed video frames that are made up of an I frame and a series of B and P frames referred to as?

- A. Group of Video (GOV)
- B. MPEG
- C. DVI
- D. Group of Pictures (GOP)

Answer: D

QUESTION NO: 10

In a MPEG 2 program stream, what is the purpose of the CAT?

- A. To purr
- B. The CAT carries EMM PIDS for encrypted programs
- C. To identify all the programs in the transport stream
- D. To identify the elementary streams that make up a program

Answer: B

QUESTION NO: 11

What two MPEG tables must be read prior to decoding any MPEG transport streams?

- A. CAT and NIT
- B. TOT and TDT
- C. PAT and PMT
- D. DIT and SDT

Answer: C