

ISLEVER

# 70-487

Developing Windows Azure and Web Services

DEMO

<https://www.islever.com/70-487.html>

<https://www.islever.com/microsoft.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

Note: The answer is for reference only, you need to understand all question.

### Question 1

You are building an ADO.NET Entity Framework application. You need to validate the conceptual schema definition language (CSDL), store schema definition language (SSDL), and mapping specification language (MSL) files. Which Entity Data Model tool can you use? (Each correct answer presents a complete solution. Choose all that apply.)

- A. EDM Generator (EdmGen.exe)
- B. ADO.NET Entity Data Model Designer
- C. Entity Data Model Wizard
- D. Update Model Wizard

**Answer: BC**

### Question 2

DRAG DROP You are developing an ASP.NET Web API action method. The action method must return the following JSON in the message body. { " Name ":" Fabrikam", "Vendor Id": 9823, "Items": ["Apples", "Oranges"]} You need to return an anonymous object that is serialized to JSON. What should you do? (To answer, drag the appropriate code segments to the correct location or locations in the answer area. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

The screenshot shows a development environment with two panes. The left pane contains a list of code segments:

- "Fabrikam", VendorNumber = 9823,
- "Fabrikam", VendorNumber = "9823",
- new List<string> { "Apples", "Oranges" }
- new List<string> { "Apples, Oranges" }
- return new List<string>
- return new

The right pane, titled "Answer Area", shows the following C# code structure:

```
public object Get()  
{  
    {  
        Name =   
        Items =   
    };  
}
```

**Answer:**

```
public object Get()
{
    return new
    {
        Name = "Fabrikam", VendorNumber = 9823,
        Items = new List<string> { "Apples", "Oranges" };
    };
}
```

**Question 3**

You are designing an ASP.NET Web API application. You need to select an HTTP verb to allow blog administrators to moderate a comment. Which HTTP verb should you use?

- A. GET
- B. POST
- C. DELETE
- D. PUT

**Answer: D**

**Question 4**

DRAG DROP

You are developing an ASP.NET Web API application that will be consumed by a web browser via a composite application that is served from another web domain. You need to configure the Web API. What should you do? (To answer, drag the appropriate XML elements to the correct location or locations in the answer area. Each XML element may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

|                                |   |
|--------------------------------|---|
| Access-Control-Allow-Origin    | <p>Answer Area</p> <pre> &lt;httpProtocol&gt;   &lt;customHeaders&gt;     &lt;add name="Access-Control-Allow-Origin"       value=" " /&gt;     &lt;add name="       value="PUT, DELETE"/&gt;     &lt;add name="       value=" " /&gt;   &lt;/customHeaders&gt; &lt;/httpProtocol&gt; </pre> |
| Access-Control-Allow-Headers   |   |
| Access-Control-Allow-Methods   |   |
| Access-Control-Request-Method  |   |
| Access-Control-Request-Headers |   |
| *                              |   |
| POST, GET                      |   |
| Content-Type                   |   |

Answer:

|                                |  |
|--------------------------------|--|
| Access-Control-Allow-Origin    | <p>Answer Area</p> <pre> &lt;httpProtocol&gt;   &lt;customHeaders&gt;     &lt;add name="Access-Control-Allow-Origin"       value=" * " /&gt;     &lt;add name=" Access-Control-Allow-Methods "       value="PUT, DELETE"/&gt;     &lt;add name=" Access-Control-Allow-Headers "       value=" Content-Type " /&gt;   &lt;/customHeaders&gt; &lt;/httpProtocol&gt; </pre> |
| Access-Control-Allow-Headers   |  |
| Access-Control-Allow-Methods   |  |
| Access-Control-Request-Method  |  |
| Access-Control-Request-Headers |  |
| *                              |  |
| POST, GET                      |  |

**Question 5**

You are developing an ASP.NET MVC web application that contains the following HTML.

```
<table id= "customer" ></table>
```

You also have an ASP.NET Web API application that contains a call for retrieving customers. You must send and retrieve the data in the most compact format possible. You need to update the HTML for the customers