

ISLEVER

920-112

NNCSS Media Processing

Server(MPS)500-Technical Support

DEMO

<https://www.islever.com/920-112.html>

<https://www.islever.com/nortel.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

A technician wants to configure PCAnywhere to control the remote PC using the TCP/IP connection. Which tab will the technician access to configure this connection?

- A. Connection Info
- B. Settings
- C. Security Options
- D. Automated Tasks

Answer: A

QUESTION NO: 2

A customer reports a Caller Message Record (CMR) related problem. Which command would you use to trace this problem?

- A. vmm DlogDbgOn STARTUP
- B. ccm DlogDbgOn FILE,LINE=line#
- C. vmm DlogDbgOn FILE,LINE=line#
- D. ccm DlogDbgOn STARTUP

Answer: B

QUESTION NO: 3

Which command is entered at the command prompt to use Debugging, Logging, and Tracing (DLT) from remote systems?

- A. vps.N -C
- B. dlt vps.N
- C. dlt -C vps.N
- D. dlt -R vps.N

Answer: C

QUESTION NO: 4

A 24-port Media Processing Server (MPS) 500 is being upgraded to a 48-port system. Which three configuration files will be changed? (Choose three.)

- A. plservrc

-
- B. vpshosts
 - C. tms.cfg
 - D. ccm.cfg

Answer: A,C,D

QUESTION NO: 5

A technician wants to display the status of the OSCAR processes reported by SRP. Which basic vsh environment command verb, when combined with other parameters, should the technician use?

- A. srp -processes
- B. srp -status
- C. srp -procstatus
- D. srp -oscstatus

Answer: B

QUESTION NO: 6

When a Media Processing System (MPS) 500 system is started, which file would you use to activate a multimedia file for recording?

- A. vmm-mmf.cfg
- B. vmm-rec.cfg
- C. vmm-cmr.cfg
- D. vmm-smp.cfg

Answer: A

QUESTION NO: 7

What type of resource can the Digital Signal Processors (DSPs) on the Multiple DSP Module (MDM) 1254 support?

- A. Digital Spans
- B. Speech Synthesizers
- C. Players
- D. Speech Recognizers

Answer: C

QUESTION NO: 8

A technician wants to guarantee that the Media Processing Server (MPS) 500 hardware is operational. If the technician executes the Random Access Memory (RAM) resident test, which image is loaded to the MPS 500.

- A. mps_860.smod
- B. tms_860.smod
- C. mps_diag.smod
- D. tms_diag.smod

Answer: D

QUESTION NO: 9

Which statements are accurate regarding the usage of the DCC 3000 board by the OSCAR node?
(Choose two.)

- A. One DCC 3000 board in an MPS node cluster can use one OSCAR node.
- B. All DCC 3000 boards in an MPS node cluster can use one OSCAR node.
- C. A maximum of 32 OSCAR nodes can connect to a DCC 3000 board.
- D. A maximum of 30 OSCAR nodes can connect to a DCC 3000 board.

Answer: B,C

QUESTION NO: 10

Which statements are true regarding conditions for an OSCAR node to be in an operational state?
(Choose two.)

- A. All Audio devices are in a connected state.
- B. All resource channels must be in a ready state.
- C. All active alarm conditions are cleared.
- D. The OSCAR node must connect to a license server.

Answer: B,D

QUESTION NO: 11