

ISLEVER

920-121

NNCSS MPS Application Developer

DEMO

<https://www.islever.com/920-121.html>

<https://www.islever.com/nortel.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

A developer is creating a Media Processing Server (MPS) 500 PeriProducer application to use an External C Call Function. Which command will compile the C Function into a Shared Library so that it is available to VENGINE at run time?

- A. makeCfunction
- B. makeengine
- C. makecall
- D. makecalldaemon

Answer: C

QUESTION NO: 2

Which two commands will show the logging on the screen when tracing Call Control Manager (CCM)? (Choose two.)

- A. ccm DlogDbgOn LINE=<line>
- B. ccm DlogCapOn DISPLAY,LINE=<line>
- C. ccm DlogDestinationOn DISPLAY,LINE=<line>
- D. ccm DlogDbgOn DISPLAY,line=<line>

Answer: A,D

QUESTION NO: 3

A programmer allocated a fixed number of records during database initialization. What type of database file was initialized?

- A. Hash-Sequenced Access Method (HSAM)
- B. Transient Data Queue (TDQ)
- C. Index Sequential Access Method (ISAM)
- D. Flat File

Answer: A

QUESTION NO: 4

When you are tracing a PeriProducer Application using Application Management Utility (AMU), which commands will show the previously executed block along with the block that is currently being executed? (Choose two)

-
- A. req deb where
 - B. req deb trace
 - C. req deb watch
 - D. req deb strace

Answer: A,D

QUESTION NO: 5

The total call timer is required to be fixed at 20 minutes. To maximize system efficiency, where should the timer be set?

- A. Configuration File
- B. VSH Command Line
- C. PeriProducer Environment Block
- D. PeriProducer Handle Block

Answer: A

QUESTION NO: 6

An application was started via Appman. The programmer would like to view the execution of the blocks in real-time. Which PeriGEM option needs to be utilized?

- A. Attach
- B. Real
- C. View
- D. Simulate

Answer: A

QUESTION NO: 7

Which statement is true about Vexlinking when the main application is generated and vexlinked through PeriProducer?

- A. .vex files for the main and the vexlinked applications must be assigned to the IVR.
- B. The main application is assigned and started on the phone lines, but the vexlinked application must be assigned to the IVR.
- C. Only the .vex file for the main application must be assigned to the IVR.
- D. The main and the vexlinked applications must have separate .acfg files on the IVR.

Answer: C

QUESTION NO: 8

Within a container, how would you permit a routine to be repeated until a predetermined condition is satisfied?

- A. Modify the condition list in the compute block.
- B. Set the condition in the handle block.
- C. Call a linked application.
- D. Modify the execute option under the properties menu.

Answer: D

QUESTION NO: 9

Tappman would need to be used in which scenario?

- A. The operator wants to set the kill timer to 60 seconds.
- B. The Appman GUI tool is not accessible.
- C. The operator needs to view a graphical display of applications currently running.
- D. An application configuration file needs to be created.

Answer: B

QUESTION NO: 10

A customer needs to view available instances of a process to turn on debugging. Which command in VShell will show the necessary information?

- A. DlogDbgList
- B. DlogDbgInfo
- C. DlogDbgEnv
- D. DlogCapPrint

Answer: A

QUESTION NO: 11

When handling "Other Server Errors" in a Structured Query Language (SQL) block, which data card provides additional information about the errors?