920-180

ncts real time networking

DEMO

https://www.islever.com/920-180.html

https://www.islever.com/nortel.html

QUESTION NO: 1

Which protocol is used for establishing media streams in H.323?

A. G.711
B. H.450
C. H.245
D. H.225.0

Answer: C

QUESTION NO: 2

The Discrete Cosine Function (DCT) in an MPEG encoder, translates blocks of which number of pixels?

A. 16x16
B. 8x8
C. 2x2
D. 64x64

Answer: B

QUESTION NO: 3

Other than PCM codecs, which are the most common type of codecs used for telecom voice?

A. wideband codecs
B. CELP codecs
C. variable bit-rate codecs
D. sub-band codecs

Answer: B

QUESTION NO: 4

Which is the correct definition of STP as applied to an Ethernet switch?

A. Switch Transaction Protocol
B. Simple Timing Protocol
C. Spanning Tree Protocol
D. Signal Transfer Point

Answer: C

QUESTION NO: 5

In a Digital Subscriber Line (DSL) network, which three functions are provided by the subscriber aggregation platform? (Choose three.)

A. dynamic service selection via PPPoE
B. termination of DSLAM data trunks
C. voice services via GR-303
D. routing of data packets
E. Bayesian filtering for spam blocking

Answer: A,B,D

QUESTION NO: 6

Which is a true statement about MPLS mechanisms?

A. Switching decisions are made at the Label Switching Router (LSR) based in part on a label.
B. Switching decisions are made at the Label Edge Router (LER) based in part on a label.
C. Routing decisions are made at the Label Edge Router (LER) based in part on a label.
D. Routing decisions are made at the Label Switching Router (LSR) based in part on a label.

Answer: A

## QUESTION NO: 7

What type of network topology does RPR employ?

A. Linear
B. Mesh
C. Point-to-Point
D. Ring

Answer: D

QUESTION NO: 8

Click on the Exhibit button.

In a typical RTSP operation what type of protocol will be used with transaction C?

A. RTP
B. HTTP
C. RTSP
D. RTCP

Answer: C

QUESTION NO: 9

What must Real Time Networking provide?

A. the illusion that there is no network between the endpoints
B. the ability to run any service or application a user wants
C. the capacity to provide service to all user in all situations