9A0-127

Adobe ColdFusion 9 ACE Exam

DEMO

https://www.islever.com/9a0-127.html
https://www.islever.com/adobe.html

QUESTION NO: 1

Given the following code stub:

```
<cfset obj = {key='Apple',basic=['one','two']} />
```

Which returns the string "two"?

A. obj.key.basic
B. obj.basic[2]
C. obj.basic[1]
D. obj.basic.2

Answer: B
Explanation:

QUESTION NO: 2

Given the following snippet:

```
<cfset x=2>

<cfoutput>

 #--x# - #x++#

</cfoutput>
```

What is the output?

A. 1 - 1
B. 1 - 3
C. 1 - 2
D. -1

Answer: A
Explanation:

QUESTION NO: 3
What is the value of the variable b when the following code block executes?

```
<cfscript>

a = 0;

b = 1;

a = (a)?b:a;

if (a) {

b = "apple";

}{

b = "pear";

}

</cfscript>
```

A. 1
B. 0
C. apple
D. pear

Answer: D
Explanation:

QUESTION NO: 4

What is the value of the variable output when the following code executes?

```
<cfset output = "There is no answer" />

<cfif 1 eq true>

<cfset output = "The answer is one" />

<cfelseif 0 eq true>

<cfset output = "The answer is two" />

<cfelse>

<cfset output = "The answer is three" />

</cfif>
```

A. "The answer is one"

B. "The answer is two"

C. "The answer is three"

D. "There is no answer"

Answer: A

Explanation:

QUESTION NO: 5

Given the follow code snippet:

```
<cfset startTime = CreateDateTime(2009,1,1,0,0,0)>

<cfset endTime = CreateDateTime(2009,1,3,12,0,0)>

<cfset i = 2>

<cfloop from="#startTime#" to="#endTime#" index="i" step="#CreateTimeSpan(1,0,0,0)#">

 Hello World! <br />

</cfloop>
```

How many times does the loop iterate?

A. 2

B. 3

C. 4

D. 12

Answer: B

Explanation:

QUESTION NO: 6

You want to convert a query column containing numeric data into a comma-delimited list.

Which function should you use?

A. ValueList()