# ISLEVER

# 9L0-607

System Administration using Mac OS X Server v10.3 Exam Test Engine Exam simulator

**DEMO** 

https://www.islever.com/9I0-607.html

https://www.islever.com/apple.html

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

Server Monitor does NOT provide status information for which Xserve component?
A. blower B. hard drive C. power supply D. fibre channel link
Answer: D
QUESTION NO: 2
To support Mac OS X clients, you deploy a server running directory services on Mac OS X Serve 10.3 to supplement the existing Active Directory services. This solution provides
A. a way to store user principals in Active Directory, and delegate Mac-specific management to Mac OS X Server  B. a mechanism for mapping Mac OS X schema to Active Directory  C. a means of managing Windows Group Policy objects from Workgroup Manager in Mac OS X  D. a mechanism for storing Microsoft Exchange data in Open Directory
Answer: A
QUESTION NO: 3
Asymmetric encryption uses
A. one shared private session key B. a pair of keys, one private and one public C. APOP authentication D. certificates
Answer: B
QUESTION NO: 4
Before you back up Cyrus files in Mac OS X Server 10.3, you must to avoid inconsistencies.
A. check the files in the mail partition folder using the df command B. stop the mail server

**QUESTION NO: 1** 

C. run the ctl mboxlist -d command

D. check the Cyrus files with the md5 command

**Answer: B** 

## **QUESTION NO: 5**

Which statement is NOT true of SSH tunneling?

A. You can secure DNS traffic by sending it through an SSH tunnel.

- B. Forwarding port 1023 and below requires root privileges for the initial receiving port.
- C. SSH tunnels can secure otherwise non-secure POP and AFP traffic.
- D. SSH tunnels support the PPP protocol.

Answer: A

#### **QUESTION NO: 6**

Your user accounts are stored on an Active Directory server. Which TWO steps, performed in combination, let your users access Mac OS X Server services that require authentication? (Choose TWO.)

- A. Modify the authentication search path on your Mac OS X clients.
- B. Start the LDAP server on the Mac OS X Server.
- C. Create keytab files on the Mac OS X Server for each user stored on the Active Directory server.
- D. Configure the Active Directory plug-in on the Mac OS X Server to connect to the Active Directory server.
- E. Modify the authentication search path on the Mac OS X Server.

Answer: D,E

#### **QUESTION NO: 7**

By default in Mac OS X Server 10.3, the Imtp client within Postfix sends mail to the \_\_\_\_\_\_.

A. Cyrus mail server

- B. sendmail mail server
- C. SpamAssassin spam filter
- D. smtp process

**Answer: A** 

## **QUESTION NO: 8**

Which is NOT a valid way to improve mail server performance in Mac OS X Server 10.3?

- A. Limit the number of concurrent IMAP connections in Server Admin.
- B. Set per-user quotas on mailbox size in Workgroup Manager.
- C. Dedicate one computer to provide mail services.
- D. In Workgroup Manager create group mailboxes that are shared by multiple users.

# Answer: D

# **QUESTION NO: 9**

Which tools can you use to partition a disk? (Choose all that apply.)

- A. diskutil
- B. hdisk
- C. disktool
- D. pdisk
- E. newhfs

# Answer: A,D

# **QUESTION NO: 10**

Click the Exhibit button and study the network diagram, then answer the question below. You administer the server with IP addresses 10.1.1.1 and 10.1.0.11. You have configured its two network interfaces in Network Preferences. Which TWO additional steps must you take on your server to ensure that the workstation at 10.1.1.2 can communicate with the server at 10.1.0.1, even if the server at 10.1.1.1 is restarted? (Choose TWO.)

- A. Add a static route for network 10.1.0/24.
- B. Set the IPFORWARDING flag in /etc/hostconfig to -YES-.
- C. Enable IP forwarding with sysctl.
- D. Add a static route for network 10.1.1/24.
- E. Enable IP forwarding from Server Admin.

#### Answer: B,C