ISLEVER

ADR-001

CompTIA Mobile App Security+ Certification Exam (Android Edition)

DEMO

https://www.islever.com/adr-001.html

https://www.islever.com/comptia.html

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

Which of the following is a reason to take mobile app security seriously when developing a social networking app that does NOT accept payments? (Select TWO).

- A. PCI-DSS regulations
- B. Consumer privacy expectations and regulations
- C. HIPAA regulations
- D. FIPS compliance
- E. Company reputation

Answer: B,E Explanation:

QUESTION NO: 2

Which of the following accurately explains why many people criticize the use of a unique hardware ID such as IMEI/MEID to identify users? (Select TWO).

- **A.** The hardware ID can be traced to an individual user and help track activity over time and across apps
- B. The hardware ID unlocks encryption on the device
- C. Companies encode email addresses directly into the hardware ID
- **D.** Hardware ID values are easily predictable
- E. Users cannot selectively block apps' access to it

Answer: A,E Explanation:

QUESTION NO: 3

Which of the following attempts to inhibit an application from being trojanized and proliferating?

- A. Tamper protection in code.
- **B.** Encrypting config file.
- **C.** Ensure appropriate permissions are deployed to every component.
- **D.** Login credentials delivered over network with HTTPS.

Answer: A Explanation:

QUESTION NO: 4

Which of the following is fundamental to MOST transport layer encryption implementations?

- A. Device passcode
- **B.** Obfuscation
- C. HTTPS
- D. Keychain

Answer: C

Explanation:

QUESTION NO: 5

Which of the following can be performed to find security design flaws in mobile apps prior to writing code?

- A. Threat modeling
- B. Penetration testing
- C. Static source code analysis
- **D.** Dynamic validation testing

Answer: A

Explanation:

QUESTION NO: 6

Which of the following methodologies is BEST for a developer to find input validation weaknesses in their own mobile app source code?

- **A.** Disassembly of mobile app executable
- **B.** Threat modeling
- C. Fuzz testing an app's attack surface
- D. Single stepping an app through a debugger

Answer: C

Explanation:

QUESTION NO: 7

Which of the following techniques are useful in a secure software development process? (Select TWO).

- A. Cross platform compatibility testing with HTML5
- B. Using hardware encryption to protect all data on the device
- C. Static code analysis
- D. Abuse/misuse case analysis
- E. Implementation of two-factor authentication

Answer: C,D Explanation:

QUESTION NO: 8

Which of the following will LEAST likely be detected through source code analysis?

- A. Improper certificate validation
- B. Buffer overflow vulnerability
- C. Improper build process
- D. Hardcoded credentials

Answer: C Explanation:

QUESTION NO: 9

Which of the following is the MOST reliable form of input validation?

- A. Positive validation of input data using regular expression processing
- B. Base64 encoding of input data
- **C.** Validating the bounds of input data using a character set
- D. HTML or URI encoding of input data and ensuring Unicode support

Answer: A Explanation: