ISLEVER

BR0-002

CompTIA Network + Bridge Exam

DEMO

https://www.islever.com/br0-002.html

https://www.islever.com/comptia.html

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

Horizontal cross-connect (HCC) is a term in networks for a wiring closet where the horizontal cabling connects to a patch panel which is connected by backbone cabling to the main distribution facility. Which of the following is the maximum CAT3 length acceptable for a horizontal cross-connect?

- A. 100 meters (328 feet)
- B. 125 meters (410 feet)
- C. 256 meters (840 feet)
- D. 328 meters (1076 feet)

Answer: A

QUESTION NO: 2

Which wireless technology permits communication to run at 2.4Ghz and up to 54Mbps?

- A. 802.11b
- B. 802.11a
- C. 802.11q
- D. 802.11n

Answer: C

QUESTION NO: 3

John works as a network administrator of his company. He is noticing timeouts when a user logs in. Which of the following would permit John to spread network authentication request traffic across multiple authentication servers?

- A. Load balancing
- B. Caching engines
- C. QoS
- D. Traffic shaping

Answer: A

QUESTION NO: 4

What does the 10 stand for in 10Base-T?

- A. Delay
- B. Speed
- C. Resistance
- D. Length

Answer: B

QUESTION NO: 5

Which of the following statements regarding FDDI (Fiber Distributed Data Interface) is TRUE?

- A. FDDI uses CSMA / CD (Carrier Sense Multiple Access / Collision Detection) for media access control.
- B. FDDI consists of two counter rotating token rings.
- C. FDDI has a maximum transmission speed of 54 Mbps.
- D. FDDI has a maximum transmission distance of 1,000 meters.

Answer: B

QUESTION NO: 6

Your company network has just been configured with a rogue WAP. Some workstations can??t access network resources. Why?

- A. WAP DHCP is enabled
- B. WEP is enabled
- C. WAP gateway address is not configured properly
- D. WEP key is not valid

Answer: A

QUESTION NO: 7

A large company with five-thousand local users must make sure that all users could access needed Internet resources with the least amount of latency. Which of the following will permit the network to maximize response time?

- A. Install multiple DNSservers onsite
- B. Install a DHCP server
- C. Install an additional Application Server
- D. Install multiple NICs

Answer: A
QUESTION NO: 8
Which IEEE standard describes Thinnet?
A. 802.3a B. 802.3ab C. 802.3ae D. 802.3u
Answer: A
QUESTION NO: 9
A client workstation is unable to connect to the network due to having not been assigned an IP address. Which server is MOST likely the problem?
A. DNS B. WINS C. DHCP D. FTP
Answer: C
QUESTION NO: 10
Look at the following items carefully, which is the approximate standard data transmission rate in both directions for a T1 line?
A. 1.54Mbps B. 44.73Mbps C. 6.31Mbps D. 10.54Mbps
Answer: A
QUESTION NO: 11
Single-mode fiber-optic cable is used in
origio mode fiber optio odbie is deca in