# ISLEVER

# C2010-593

IBM Tivoli Netcool/OMNIbus V7.4

**Fundamentals** 

**DEMO** 

https://www.islever.com/c2010-593.html

https://www.islever.com/ibm.html

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

## **QUESTION NO: 1**

What is	the extension	of the file	containing	event lis	st configuration	n details suc	h as filter	s and
views?								

- A. .elv
- B. .cfg
- C. .elc
- D. .dat

Answer: A Explanation:

## **QUESTION NO: 2**

Which nco\_sql command shows all the available columns in the alerts.details table?

- A. show alerts.details;
- B. view alerts.details;
- C. describe alerts.details;
- D. select fields from alerts.details;

Answer: D Explanation:

# **QUESTION NO: 3**

Which task can be performed using gauge Click Action?

- A. reset threshold
- B. execute a script
- C. refresh gauge data
- D. execute the Active Event List tool

Answer: C Explanation:

# **QUESTION NO: 4**

While configuring the history settings of the Accelerated Event Notification what is the maximum duration the message can be kept in the history buffer using the Remove Messages Older Than parameter?

Α.	1	dav

B. 1 week

C. 1 month

D. 1 quarter

Answer: B Explanation:

# **QUESTION NO: 5**

Which type of data can the Web GUI gauge display?

- A. event data from alerts.status
- B. data from custom database tables
- C. data from sources other than the ObjectServer
- **D.** data retrieved from the ObjectServer using metrics

Answer: D Explanation:

#### **QUESTION NO: 6**

Which portlet is used to define and manage event relationship definitions?

- A. Event Setting
- B. Event Definition
- C. Relationship Setting
- D. Relationship Definitions

Answer: B Explanation:

**QUESTION NO: 7** 

Which tokens can be used in JavaScript if the Script option is selected under the Single-click field?

- A. \$OMNIHOME. \$NCHOME
- B. \$VIEWDATASOURCE. \$OWNERFILTER
- **C.** \$(FILTER), \$(FILTERCATEGORY), \$(FILTEROWNER). \$<VIEW). \$(VIEWCATEGORY), \$(DATASOURCES). \$(PORTLETNAMESPACE)
- **D.** \$(FILTERVIEW). \$(CATEGORY\_VIEW), \$(FILTERCATEGORY),.\$(DATASOURCEVIEW). \$(CATEGORY\_VIEW). \$(FILTERCATEGORY)

Answer: B Explanation:

# **QUESTION NO: 8**

Which role gives a user or group access to Filters/Views and Tool creation?

- A. ncw user
- **B.** iscadmins
- C. ncw admin
- D. configurator

Answer: C

**Explanation:** 

#### **QUESTION NO: 9**

Which three basic filter statements when combined will filter critical and major alarms more than 30 minutes old that have not been acknowledged?

- **A.** Tally > 1
- **B.** Severity > 4
- **C.** Severity >= 4
- **D.** Acknowledged = 0
- E. StateChange > getdate -1800
- **F.** LastOccurrence < getdate -1800

Answer: F

**Explanation:**