

ISLEVER

# C2020-105

IBM Cognos 8 BI Technical Specialist

DEMO

<https://www.islever.com/c2020-105.html>

<https://www.islever.com/ibm.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

---

**QUESTION NO: 1**

Each time a configuration is altered and saved, date-stamped versions of these two configuration files are automatically saved in the c8\_location/configuration directory. What are these two files?

- A. cogformat.xsd and cqeconfig.xsd
- B. cogstartup.xml and coglocale.xml
- C. cogserver.xml and cogstartup.xml
- D. cogstartup.xsd and coglocale.xsd

**Answer: B**

**QUESTION NO: 2**

Which is true about the Cognos 8 Tempfiles?

- A. Access rights should only be given to the service account that starts the Cognos 8 Service.
- B. Cognos recommends that Temporary files remain on the installation drive.
- C. They are secured to the UserID for whom they were created.
- D. They must remain un-encrypted at all times.

**Answer: A**

**QUESTION NO: 3**

High Affinity Requests are processed by a High Affinity Connection. Low Affinity Requests are processed by a Low Affinity Connection. What type of connection will process an Absolute Affinity Request?

- A. A Low Affinity Connection
- B. A Medium Affinity Connection
- C. A High Affinity Connection
- D. A Direct Affinity Connection

**Answer: C**

**QUESTION NO: 4**

A customer has asked if it is possible to tune the Tomcat application server for better scalability. Which of these will specifically tune the Tomcat application server?

- A. Tune theFetchBufferSize in the Cogdmor.ini.

- 
- B. Tune the Compression Ratio in the MetaBase.xml.
  - C. Tune theConnectionPoolSize in the CqeConfig.xml.
  - D. Tune theAcceptCount and MaxProcessors in the Server.xml.

**Answer: D**

**QUESTION NO: 5**

Which of the following is a high-affinity request?

- A. HTML page down
- B. Test data source connectivity
- C. Report processing
- D. Query validation

**Answer: A**

**QUESTION NO: 6**

Which Cognos 8 Service runs outside the servlet container?

- A. Job Service
- B. Delivery Service
- C. Data Integration
- D. Report Service

**Answer: D**

**QUESTION NO: 7**

What protocol is required for securing Cognos 8 in a Linux/UNIX environment with Active Directory?

- A. Active Directory Protocol
- B. Bouncy Castle
- C. LDAP protocol
- D. OAS for Linux Drivers

**Answer: C**

---

**QUESTION NO: 8**

What is true about Content Manager?

- A. It requires an external security provider.
- B. It provides metadata to other Cognos services.
- C. It can only have one Stand-by Content Manager per environment.
- D. It may be load balanced.

**Answer: B**

**QUESTION NO: 9**

What protocol is used for the BIBus inter-component communication?

- A. HTML
- B. TCP/IP
- C. HTTP
- D. HTTPS

**Answer: B**

**QUESTION NO: 10**

When trying to access the Cognos 8 BI application, users are receiving a HTTP 404 error. What may be the cause of this error?

- A. URL buffer length has been exceeded.
- B. Too many users accessing the web page.
- C. Cognos 8 virtual directories have not been created.
- D. Access is being denied by security.

**Answer: C**

**QUESTION NO: 11**

What network communication protocol is used between the Web Server and the Cognos 8 dispatcher?

- A. SOAP
- B. XML
- C. HTTP