C2040-412

IBM Notes Traveler Administration

DEMO

https://www.islever.com/c2040-412.html

https://www.islever.com/ibm.html

QUESTION NO: 1

Which option describes how a load balancer is used for an IBM Notes Traveler High Availability (HA) implementation?

A. secures connections between Notes Traveler servers and IBM Domino mail servers
B. spreads the user to server connections across multiple Notes Traveler HA Pool members
C. balances mail server traffic between Notes Traveler servers and clustered Domino mail servers
D. spreads large amounts of data across multiple Notes Traveler servers when users are synchronizing a large attachment to a device

Answer: B
Explanation:

QUESTION NO: 2

Once IBM Notes Traveler servers are put into production, what average percentage should the CPU be below?

A. 65
B. 75
C. 85
D. 95

Answer: B
Explanation:

QUESTION NO: 3

What is the minimum number of servers recommended for an IBM Notes Traveler 9.0 Service Pool, IBM Domino mail and database server with high availability for all components on Microsoft Windows or Linux platforms?

A. 5
B. 6
C. 7
D. 11

Answer: C
Explanation:

QUESTION NO: 4

IBM Notes Traveler mobile client to server traffic is secured over which protocol?

A. Secure Socket Layer (SSL)
B. Post Office Protocol 3 (POP3)
C. HyperText Transfer Protocol (HTTP)
D. Notes Remote Procedure Call (NRPC)

Answer: A
Explanation:

QUESTION NO: 5

How can an administrator ensure that the network communication between the IBM Notes Traveler server and the mail servers is optimized?

A. A different port other than the default RPC port of 1352 should be used.
B. The network connection should enforce secure socket layer encryption.
C. The network connection should not enforce secure socket layer encryption.
D. The Notes Traveler and mail servers should both reside in the same data center.

Answer: D
Explanation:

QUESTION NO: 6

After deploying IBM Notes Traveler 9.0, Nancy wants to connect the servers to her IBM DB2 high availability environment in order to also provide high availability for the database. How would she do this on a Linux server?

A. ./travelerUtil db set user=LNTUSER pw=passw0rd
B. travelerUtil db set
url=jdbc:sqlserver://db1.ibm.com:1433;databasename=TRAVELERuser=LNTUSER pw=passw0rd
C. travelerUtil db set url=jdbc:db2://db1.ibm.com:50000/TRAVELER user=db2admin
pw=passw0rd
D. travelerUtil db set
url=jdbc:db2://db1.ibm.com:50000/TRAVELER:clientRerouteAlternateServerName=db2.ibm.com;c
lientRerouteAlternatePortNumber=50000;retryIntervalForClientReroute=10;maxRetriesForClientR
eroute=3; user=db2adminpw=passw0rd

Answer: D
Explanation:

QUESTION NO: 7

Which operating system is supported by the IBM Notes Traveler 9.0 server?

A. Ubuntu 13
B. IBM AIX 5.3
C. Microsoft Windows 7
D. IBM i 6.1 POWER System

Answer: D
Explanation:

QUESTION NO: 8

What is required to automate the fail over process from on an IBM Notes Traveler server to another while not in the same service pool?

A. Users must reinstall Notes Traveler on their devices.
B. A front-end proxy like IBM Mobile Connect is needed.
C. Users can enter multiple Notes Traveler devices in the settings section of their mobile devices.
D. IBM WebSphere Deployment Manager must be installed to allow both Notes Traveler servers to communicate.

Answer: B
Explanation:

QUESTION NO: 9

What could be a reason an IBM Notes Traveler server shows "constrained"?

A. The LDAP server used by Notes Traveler is offline.
B. assigning 500 devices to a 32-bit Notes Traveler server
C. assigning 100 power user devices to a 32-bit Notes Traveler server
D. exact operating system versions of the devices attached to the server

Answer: B
Explanation:

QUESTION NO: 10

Charles wants to determine that his server is tuned properly for the number of concurrent IBM Notes Traveler devices. He has run the console command Tell Traveler Stat Show. Which status will he use to evaluate the number of devices?