

ISLEVER

C2090-600

IBM DB2 11.1 DBA for LUW

DEMO

<https://www.islever.com/c2090-600.html>

<https://www.islever.com/ibm.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION 1

Which statement about label-based access control (LBAC) is TRUE?

- A. LBAC protection can be applied to a nickname
- B. LBAC cannot be used to restrict access to a staging table
- C. LBAC cannot be used to restrict access to data of columns and rows in the same table
- D. LBAC protection for columns requires a table to contain a column that has a DB2SECURITYLABEL data type

Answer: D

QUESTION 2

Which of the following commands will list all of the disk configurations of the file system DATAFS in a DB2 pureScale cluster?

- A. `db2cluster -cfs -list -filesystem datafs`
- B. `db2cluster -cfs -display -filesystem datafs`
- C. `db2cluster -cfs -listconfig -filesystem datafs`
- D. `db2cluster -cfs -displayconfig -filesystem datafs`

Answer: A

QUESTION 3

Which command can be used to view the configured global registry settings for all installed DB2 copies found on a Linux server?

- A. `db2val`
- B. `db2set`
- C. `db2look`
- D. `db2greg`

Answer: B

QUESTION 4

Which statement regarding event monitors is TRUE?

- A. Event monitor data can be reviewed while the event monitor is active
- B. Event monitors must always be started manually after activating a database
- C. Event monitors must write data to .EVT files before the data can be loaded into database tables
- D. Event monitors are used to obtain information about how a database system looks at a specific point in time

Answer: B

QUESTION 5

Which options are valid for an online reorganization operation?

- A. FULL and RECLAIM EXTENTS
- B. CLASSIC and RECLAIM EXTENTS
- C. FULL and CLEANUP OVERFLOWS
- D. CLEAN OVERFLOWS and RECLAIM EXTENTS

Answer: A

QUESTION 6

A DBA has observed that queries executed against SALES table have poor performance. DB2 tools have indicated that the level of data fragmentation in the SALES table is very high. Similar results were detected for indexes defined on the SALES table.

Which of the following commands should be used by the DBA to improve the performance of the queries run against the SALES table?

-
- A. REORG TABLE sales AND INDEXES ALL; RUNSTATS ON TABLE sales AND INDEXES ALL;
 - B. REORG TABLE sales INPLACE; REORG INDEXES ALL FOR TABLE sales; RUNSTATS ON TABLE sales AND INDEXES ALL;
 - C. RUNSTATS ON TABLE sales AND INDEXES ALL; REORGCHK ON TABLE sales;
 - D. RUNSTATS ON TABLE sales INPLACE AND INDEXES ALL;

Answer: A

QUESTION 7

Which of the following are valid Explain operators? (Choose two.)

- A. CTQ
- B. XSCAN
- C. IXSCAN
- D. SELECT
- E. COLSCAN

Answer: BC

QUESTION 8

Which is the correct way to back up only metadata about database backups, table space backups, and table load operations for database MYDB?

- A. CONNECT TO mydb PRUNE HISTORY TO /outdir
- B. db2trc on -db mydb -m "backup,load" run the desired operations db2tc dump db2trc.dmp db2tc format db2tc.dmp db2tc.fmt db2tc off
- C. BACKUP DATABASE mydb NO TABLESPACE TO /outdir
- D. db2set DB2_BCKP_PAGE_VERIFICATION=TRUE must be issued first (no instance restart is needed). Run the desired operations. Afterwards, issue db2trc dump <outfile>