

ISLEVER

C4040-103

AIX 6.1 Basic Operations

DEMO

<https://www.islever.com/c4040-103.html>

<https://www.islever.com/ibm.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

Note: The answer is for reference only, you need to understand all question.

QUESTION 1

An operator needs to schedule the script '/usr/scripts/listall.ksh' to run at 19:00 on the current day. What is the correct form of the 'at' command to accomplish this task?

- A. at 7 /usr/scripts/listall.ksh
- B. at 7 P /usr/scripts/listall.ksh
- C. at now + 7 /usr/scripts/listall.ksh
- D. at today + 7 p /usr/scripts/listall.ksh

Answer: B

QUESTION 2

Which of the following commands will display what space is used in /tmp filesystem?

- A. df -lk /tmp
- B. df -fk /tmp
- C. df -Uk /tmp
- D. df -Fk /tmp

Answer: A

QUESTION 3

After performing a modification on the /etc/ssh/sshd_config file the operator needs to reinitialize the secure shell daemon to enable the new settings. Which of the following is the correct way to achieve this?

- A. Use refresh -s sshd
- B. Use init.sshd /etc/rc.ssh
- C. Use /usr/sbin/sshd -restart
- D. Use stopsrc -s sshd and then startsrc -s sshd

Answer: D

QUESTION 4

The printer associated with the hp5_queue is down for maintenance. Which of the following commands will move the remaining print jobs from hp5_queue to the hp7_queue?

- A. export \$LPDEST=hp7_queue
- B. qmov -m hp7_queue -P hp5_queue

- C.lpmov -s hp5_queue -d hp7_queue
- D.redirect -q hp5_queue hp7_queue

Answer: B

QUESTION 5

An operator needs to change from the /usr/bin to the/var/spool directory. Which of the following commands will accomplish this?

- A.cd /var/spool
- B.lcd /var/spool
- C.cd /usr/bin /var/spool
- D.lcd /usr/bin /var/spool

Answer: A

QUESTION 6

Which of the following will rename dir1 as dir2?

- A.mv dir1 dir2
- B.ren dir1 dir2
- C.cp -R dir1 dir2
- D.mv -R dir1 dir2

Answer: A

QUESTION 7

An operator has been asked if a system was rebooted. Which of the following commands should be used to determine if a reboot has occurred?

- A.The name?command.The ?name?command.
- B.The ptime?command.The ?ptime?command.
- C.The hutdown ast?command.The ?shutdown ?ast?command.
- D.The ?etc/rc.shutdown?command.

Answer: B

QUESTION 8

Which of the following is the correct command to list the filesystems in datavg?

- A. lsvg -p datavg
- B. lsvg -l datavg
- C. lsvg -L datavg
- D. lsvg -o datavg

Answer: B

QUESTION 9

Which of the following will cancel only job 123 from printer lp01?

- A. lpstat -d 123 lp01
- B. enq -d 123 -p lp01
- C. qcan -x 123 -P lp01
- D. lpcan -j 123 -p lp01

Answer: C

QUESTION 10

Which of the following will permit an operator to retrieve console log output from the command line?

- A. lscons -l
- B. cat /var/conslog
- C. alog -t console -o
- D. lslog /var/adm/conslog

Answer: C

QUESTION 11

How can an operator make sure a shell script will run in 'ksh93'?

- A. add `#!/usr/bin/ksh93` to the first line of the script.
- B. add `## /usr/bin/ksh93` to the first line of the script.
- C. add `#+ /usr/bin/ksh93` to the first line of the script.
- D. add `? /usr/bin/ksh93` to the first line of the script.

Answer: A

QUESTION 12

An operator needs to run a script which will write standard output and standard error to different files. Which of the following commands will successfully perform this task?