

ISLEVER

E20-050

emc technology foundations -clariion

DEMO

<https://www.islever.com/e20-050.html>

<https://www.islever.com/emc.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

Which flushing method is used on the CLARiiON to create free cache space for incoming host I/Os?

- A. Low watermark
- B. High watermark
- C. Forced
- D. Idle

Answer: C

QUESTION NO: 2

Which Celerra data replication solution requires Symmetrix storage?

- A. Celerra Replicator
- B. TimeFinder/FS
- C. MirrorView
- D. SnapSure

Answer: B

QUESTION NO: 3

How does VisualSRM help solve availability problems?

- A. CRC checking detects unauthorized file changes
- B. Provisioning automatically extends critically full filesystems
- C. Thresholds alert administrators to dangerously high utilization levels
- D. File-level mirroring ensures data redundancy

Answer: C

QUESTION NO: 4

In a CLARiiON environment, which state are all Clone group members in after completing a reverse synchronization during a protected restore?

- A. Active
- B. In sync
- C. Fractured

D. Deactivated

Answer: C

QUESTION NO: 5

On a CLARiiON array, how much space per SP do SnapView Clone Private LUNs or CPLs require?

- A. CPL must be the same size as Source LUN
- B. 64MB
- C. 256MB
- D. 128MB

Answer: D

QUESTION NO: 6

In a CLARiiON environment, how many concurrent synchronous remote mirrors can be configured per Source LUN?

- A. 4
- B. 16
- C. 8
- D. 2

Answer: D

QUESTION NO: 7

Which protocol uses TCP/IP to tunnel Fibre Channel frames?

- A. FCP
- B. iSCSI
- C. CIFS
- D. FCIP

Answer: D

QUESTION NO: 8

How does a Celerra Control Station failure affect network clients that are currently accessing Data Mover filesystems?

- A. Data Mover filesystems are unavailable until the Control Station fails over to its standby
- B. Data Mover filesystems are unavailable until the Control Station reboots
- C. There is no impact
- D. Clients experience a brief outage and are then reconnected

Answer: C

QUESTION NO: 9

What is implemented in storage arrays to prevent unauthorized access in a SAN?

- A. LUN masking
- B. Zoning
- C. LUN mapping
- D. Port lockdown

Answer: A

QUESTION NO: 10

What is a characteristic of zoning in a SAN environment?

- A. Allows devices within the fabric to be logically segmented
- B. LUN access control in a shared environment
- C. Fabric independent service
- D. Allows switches to aggregate ISLs to increase bandwidth

Answer: A

QUESTION NO: 11

What is optional when using Synchronous MirrorView?

- A. Connection log
- B. Event error log
- C. Write intent log
- D. Fracture log

Answer: C