

ISLEVER

E20-510

business continuity specialist exam

DEMO

<https://www.islever.com/e20-510.html>

<https://www.islever.com/emc.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

Which symcli command would be used to define an SRDF relationship between dynamic SRDF enabled devices?

- A. symrdf create
- B. symdg create
- C. symdg createpair
- D. symrdf createpair

Answer: D

QUESTION NO: 2

What are characteristics of SRDF/S (synchronous)?

- A. Limited distance, no data loss exposure, and some performance impact
- B. No performance impact, seconds of data loss exposure, and unlimited distance
- C. Some performance impact, unlimited distance, and hours of data loss exposure
- D. Unlimited distance, hours of data loss exposure, and some performance impact

Answer: A

QUESTION NO: 3

What is the order for an SRDF/A deltaset operation?

- A. 1 - Send, 2 - acknowledge, 3 - apply, 4 - commit
- B. 1 - Capture, 2 - send, 3 - apply, 4 - acknowledge
- C. 1 - Send, 2 - receive, 3 - acknowledge, 4 - apply
- D. 1 - Capture, 2 - transmit, 3 - receive, 4 - apply

Answer: D

QUESTION NO: 4

What are the two primary modes of operation for SRDF?

- A. Domino and Synchronous
- B. Synchronous and Semi-Synchronous
- C. SRDF/S and SRDF/A
- D. Synchronous and Adaptive Copy

Answer: B

QUESTION NO: 5

A Symmetrix with a direct attached host contains 20 R1 volumes in 2 RDF groups with 10 volumes in each. What is the maximum number of SYMCLI groups that you can create to manage the RDF volumes if you were running SRDF/A?

- A. 1
- B. 10
- C. 2
- D. 20

Answer: C

QUESTION NO: 6

On which host operating system does PowerPath NOT create pseudo device names?

- A. AIX
- B. Solaris
- C. Linux
- D. HP-UX

Answer: D

QUESTION NO: 7

Which host based tool is used to expand TimeFinder/Snap Save Device space?

- A. SYMCLI Configuration Manager
- B. Replication Manager
- C. SAN Manager
- D. SymmWin

Answer: A

QUESTION NO: 8

Which TimeFinder replication method is limited by the restriction of four mirror positions per Symmetrix Logical Volume?

-
- A. Clone
 - B. Mirror
 - C. Snap
 - D. Consistency Groups

Answer: B

QUESTION NO: 9

What happens to an SRDF/A session if at some point, the available bandwidth is not sufficient to complete the transmit cycle within the default cycle time of 30 seconds?

- A. Session will go into adaptive disk mode
- B. Cycle switch will occur but data consistency will be lost
- C. Capture delta set will become larger
- D. Session will go into adaptive copy write pending mode

Answer: C

QUESTION NO: 10

Which product is needed to perform a TimeFinder consistent split?

- A. SRDF
- B. EMC Open Replicator
- C. Multi-session consistency
- D. PowerPath

Answer: D

QUESTION NO: 11

Click the Exhibit button.

The graphic shows a single-hop SRDF/AR configuration. What is the correct state for the identified TimeFinder and SRDF device pairs prior to issuing a symreplicate start command?