

ISLEVER

E20-537

networked storage-ns exam for storage
adminsitrators

DEMO

<https://www.islever.com/e20-537.html>

<https://www.islever.com/emc.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

What is recommended for high availability in a high application transaction environment?

- A. CIFS
- B. NFS
- C. TFTP
- D. FTP

Answer: B

QUESTION NO: 2

What is used for centralized user and group management in a UNIX environment?

- A. NIS
- B. UFS
- C. NTLM
- D. UDP

Answer: A

QUESTION NO: 3

A NAS solution is required that includes high availability and always available network connections. The Ethernet switch is made by Typhoon Data Networks and is IEEE compliant. Which EMC NAS networking solution must be implemented?

- A. EthernetChannel
- B. LACP
- C. DHCP
- D. VLAN

Answer: B

QUESTION NO: 4

What is a benefit of Celerra Data Migration Service (CDMS)?

- A. Minimal service disruption
- B. Manual migration of all old data
- C. Automatic data defragmentation

D. Automatic restoration of multi-protocol permissions

Answer: A

QUESTION NO: 5

What is one function of the Control Station?

- A. Allows you to manage the CNS-14 and everything attached to it
- B. Provides installation, configuration and management features for the CNS-14
- C. Enables you to install and upgrade software on the storage system
- D. Allows you to configure CLARiiON LUNs

Answer: B

QUESTION NO: 6

Which Celerra interface can be used to create automatically mounted checkpoints?

- A. EMC ControlCenter NAS interface
- B. Celerra Manager
- C. Celerra Monitor
- D. CLARiiON Navisphere Manager

Answer: B

QUESTION NO: 7

Which share name is reserved by Celerra for user home directories?

- A. HOMEDIR
- B. USERHOME
- C. HOMESHARE
- D. HOME

Answer: D

QUESTION NO: 8

What is the default type of a Celerra file system?

-
- A. rawfs
 - B. uxf
 - C. ufs
 - D. mgfs

Answer: B

QUESTION NO: 9

Which storage template is available in a NS Integrated system that uses ATA physical drives?

- A. CX_Standard_Raid_5
- B. CX_All_4Plus1_Raid_5
- C. ATA_CX_Standard_Raid_1
- D. ATA_RAID3_HS_4+1_8+1

Answer: D

QUESTION NO: 10

What is the default value of time skew for Kerberos authentication success?

- A. 5 minutes
- B. 1 minute
- C. 1 hour
- D. 30 sec

Answer: A

QUESTION NO: 11

On which volume type is a file system created?

- A. Celerra disk volume
- B. Celerra slice volume
- C. Celerra meta volume
- D. Celerra stripe volume

Answer: C