ISLEVER

E20-597

Backup & Recovery Specialist Exam for Storage Administrators

DEMO

https://www.islever.com/e20-597.html

https://www.islever.com/emc.html

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

Topic 1, Volume A

QUESTION NO: 1

An EMC NetWorker backup job has failed 95% of the way through its operation. Which functionality is provided by the checkpoint restart feature?

- A. The backup can continue from the last known good point
- B. The backup can always continue exactly where it left off
- C. The backup can be merged with data from the last server checkpoint
- **D.** The backup must be restarted from the beginning

Answer: A Explanation:

QUESTION NO: 2

Which three components comprise EMC NetWorker's three tier architecture?

- A. Server, Storage Node and Client
- B. Master Server, Media Server and Client
- C. Server, Storage Agent and Client
- D. Cell Manager, Devices and Client

Answer: A

Explanation:

QUESTION NO: 3

The three primary types of EMC NetWorker hosts form an architecture/topology. What is this called?

- A. EMC NetWorker Data Zone
- B. EMC NetWorker Storage Domain
- C. EMC NetWorker Storage Zone
- D. EMC NetWorker Cell

Answer: A

Explanation:

QUESTION NO: 4

Which feature of EMC NetWorker allows multiplexed, heterogeneous data to reside on the same tape?

- A. OTF
- B. TAR
- C. CPIO
- D. ZIP

Answer: A Explanation:

QUESTION NO: 5

Which EMC NetWorker feature allows for a failed backup to restart at a known good point prior to the backup failure?

- A. CheckPoint Restart
- **B.** Client Retries
- C. Scheduled Backup Attempts
- D. Restart Window

Answer: A Explanation:

QUESTION NO: 6

An administrator in an EMC NetWorker environment wants to know the exact backup creation date and time along with the backup level. Which EMC NetWorker functionality should be used to find this information?

- A. Tracking and reporting
- B. Aging
- C. NMC Monitoring
- D. Daemon log

Answer: A

Explanation:

QUESTION NO: 7

In EMC NetWorker, what best describes the source capacity licensing model?

- A. Aggregate of a full backup from all sources
- **B.** Aggregate of differential backups from all sources
- **C.** Aggregate of incremental backups from all sources
- D. Aggregate of Level 9 backups from all sources

Answer: A Explanation:

QUESTION NO: 8

A storage administrator backs up an Exchange server to an EMC Data Domain system. The Data Domain system is configured as an advanced file device. The administrator now wants to create a copy of the backup and send it to tape. The backup job completed at 8pm. The administrator wants the copy to be created at 9pm. Which option should be used?

- **A.** Use the Scheduled Cloning attribute to schedule a clone job to start at 9pm.
- **B.** Run the nsrclone command at 8pm and the second copy will be directed to tape at 9pm.
- **C.** Enable the "clones" attribute in the client's group setting.
- **D.** From the Administration window, under Media select Save Sets and then the Query Save Set tab. Create clone copies of the backup at 8pm.

Answer: A Explanation:

QUESTION NO: 9

Refer to the exhibit.

Monday	Tuesday	Wednesday	Thursday	Friday
Full	Level1	Level 2	Level3	Level 2