ISLEVER

E20-655

Isilon Specialist Exam for Platform Engineers

DEMO

https://www.islever.com/e20-655.html

https://www.islever.com/emc.html


For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

Exam A

QUESTION 1

Exhibit:

You work as a network administrator at Certpaper.com. You study the exhibit carefully. Identify the HBA and F port in the SAN Core/Edge exhibit.



- A. 7 and 1
- B. 7 and 5
- C. 4 and 5
- D. 6 and 3

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 2

Why is tracking changes to the source and target devices recommended after creation of point in time replica?

- A. Reduces the Recovery Time Objective for restart operations from the target
- B. Speeds up the re-synchronization of the source and target

- C. Speeds up the initial synchronization of the source and target
- D. Reduces the Recovery Point Objective for restart operations from the target

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 3

What does a cache dirty bit flag?

- A. Changed data not yet written to disk
- B. Data read from disk but not accessed by the host
- C. Changed data written to disk
- D. Data requested by host but not yet fetched

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 4

Which remote replication solution has the lowest bandwidth requirement?

- A. Log shipping over IP networks
- B. Array based synchronous replication
- C. Asynchronous ordered writes
- D. Host based LVM Mirroring

Correct Answer: A Section: (none) Explanation

Explanation/Reference:

QUESTION 5

An application uses ten 9 GB Devices. A pointer based replica of the application is required every 4 hours. Each replica will be kept for 24 hours. The data changes by 10% every 4 hours. How many replica devices are required?

- A. 10
- B. 90
- C. 6
- D. 60

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

QUESTION 6

What is a remote replication solution on EMC Symmetrix Arrays?

- A. SnapView
- B. EMC TimeFinder/Mirror
- C. SRDF/S
- D. MirrorView/A

Correct Answer: C Section: (none) Explanation

Explanation/Reference:

QUESTION 7

What is a benefit of a NAS Solution?

- A. Introduces block level I/O to the networked environment
- B. Enables the ability to share data across platforms
- C. Improved network bandwidth
- D. Improved network performance

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 8

What is a logical component of a storage environment?

- A. Storage array
- B. Bus
- C. Memory
- D. Application

Correct Answer: D Section: (none) Explanation

Explanation/Reference:

QUESTION 9

Which statement describes the iSCSI protocol?

- A. SCSI over ATA
- B. SCSI over IP
- C. IP over SCSI
- D. ATA over SCSI

Correct Answer: B Section: (none) Explanation

Explanation/Reference:

QUESTION 10