

ISLEVER

HH0-350

HDS Certified Specialist - NAS Architect

DEMO

<https://www.islever.com/hh0-350.html>

<https://www.islever.com/hitachi.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

What are two ways of controlling anti-virus scanning on Hitachi NAS Platform nodes? (Choose two.)

- A. Select the round robin algorithm on the multi-scan engine configuration screen
- B. Set up the inclusion list.
- C. Enable anti-virus at the share level.
- D. Modify the virus background checking policies.

Answer: B,C

Explanation:

QUESTION NO: 2

A customer with a Hitachi NAS Platform wants to use a Hitachi VSP storage system. You need to gather information about the VSP and which storage is available.

Which tool should you use to review this information?

- A. Hitachi Device Manager
- B. Hitachi Storage Navigator Modular 2
- C. Hitachi Cluster Manager
- D. Hitachi VSP manager

Answer: A

Explanation:

QUESTION NO: 3

You have prepared a solution upgrade proposal for an existing Hitachi NAS Platform customer who is planning to purchase additional nodes. While presenting to your customer, they ask about mixing models within a cluster.

Which statement is correct?

- A. A cluster must be made of the same models.
- B. A cluster can be made of different models.
- C. Mixing 3000 models within a cluster is supported.
- D. All models can be clustered with each other.

Answer: A

Explanation:

QUESTION NO: 4

You are designing a solution to replace a customer's existing NetApp FAS3140. The customer uses Snapshot and SnapMirror to provide local snapshots and DR protection. They perform a daily snapshot which is retained for 30 days and they execute SnapMirror on a 15 minute interval. In the event of a failover to the DR site, all the locally executed snapshots are available for use on the DR system.

How should you configure snapshot rules with replication to provide equivalent capabilities?

- A.** on the source system that is referenced by the object replication policy
- B.** on the source and target systems using two different object replication policies, one of which references both snapshot rules
- C.** on the target system only referenced by the object replication policy
- D.** on the source and target systems using a single object replication policy

Answer: B

Explanation:

QUESTION NO: 5

You are architecting a Hitachi NAS Platform 4000 solution for a new customer, and they ask about initial storage pool creation and future expansions.

What are two HDS best practices? (Choose two.)

- A.** Four SDs are recommended in a new storage pool.
- B.** Two SDs are recommended in a new storage pool.
- C.** If an initial storage pool was created with 2 SDs, the expansion would be 4 SDs.
- D.** If an initial storage pool was created with 4 SDs, the expansion would be 4 SDs.

Answer: A,D

Explanation:

QUESTION NO: 6

A customer plans to implement SNMP management tools for their Hitachi NAS Platform from the customer's management LAN.

Which two are needed? (Choose two.)

- A. a configured SMTP server
- B. a configured community string
- C. Admin-EVS accessible from the customer's management LAN
- D. an enabled HTTPS certificate

Answer: B,C

Explanation:

QUESTION NO: 7

A customer wants to leverage the external storage capability of their VSP system with a Hitachi NAS Platform 4000 cluster. They are planning to attach a HUS 110 with SAS 7.2K drives to the VSP.

According to HDS best practices, which three use cases are appropriate for this solution? (Choose three.)

- A. home directories
- B. OLTP Database
- C. archive
- D. backup target
- E. VMware VDI desktops

Answer: A,C,D

Explanation:

QUESTION NO: 8

Your customer wants to issue administrative commands to a Hitachi NAS Platform 4000 over their data network using scripting.

What must you do?