

ISLEVER

# HP0-064

HP BladeSystems C-Class Solutions 1

DEMO

<https://www.islever.com/hp0-064.html>

<https://www.islever.com/hp.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

---

**QUESTION NO: 1**

In a BladeSystem c-Class enclosure, how are the interconnects connected to the device bays?

- A. RJ-45 cables
- B. 100-pin connectors
- C. connections are hard-wired
- D. CAT5 cables

**Answer: C**

**QUESTION NO: 2**

How will the enclosure indicate if a server blade is not installed correctly?

- A. The Onboard Administrator will not let the interconnects power on.
- B. The Onboard Administrator will not allow the incorrectly placed server blade to power on.
- C. The interconnect will display errors when you configure it.
- D. The Onboard Administrator will not let the enclosure power on.
- E. The HP BladeSystem Insight Display will flash blue.

**Answer: B**

**QUESTION NO: 3**

The multifunction NICs available in the BladeSystem c-Class server blades will benefit which type of company?

- A. companies using different connectivity products for storage, networking, and interconnects
- B. companies that already have ProLiant ML or DL servers installed in their data center
- C. companies that need high availability and redundant data paths
- D. companies with disaster-tolerant distributed data center sites

**Answer: A**

**QUESTION NO: 4**

Which statements describe how the Integrated Lights Out (iLO) management processor receives its power in the BladeSystem c-Class enclosure? (Select two.)

- A. iLO can be activated through Virtual Power from a remote server.
- B. iLO receives its power through a connection to the server.

- 
- C. iLO can be activated even if the server is not connected to a power source.
  - D. iLO receives its power through an independent connection.
  - E. iLO receives redundant power in the event of a power supply failure.

**Answer: D,E**

#### **QUESTION NO: 5**

From which sources can you configure individual iLO management processors? (Select two.)

- A. remotely through a browser-based Web interface
- B. from an FTP server
- C. through a scripted setup
- D. through Virtual Media
- E. through Virtual Keyboard/Video/Monitor (KVM)

**Answer: A,C**

#### **QUESTION NO: 6**

Which HP BladeSystem server provides the option of RAID 5 data protection on internal storage?

- A. ProLiant BL480c
- B. ProLiant BL465c
- C. ProLiant BL460c
- D. ProLiant BL380c

**Answer: A**

#### **QUESTION NO: 7**

To complete the installation and ensure proper cooling, which step should you take after you have installed the server blades in a BladeSystem c-Class enclosure?

- A. Install blade and fan blanks.
- B. Activate the Insight Display and check for error messages.
- C. Use Thermal Logic software to restrict BTUs
- D. Install redundant cooling fans.

**Answer: A**

---

**QUESTION NO: 8**

You are installing an HP Gbe2c Ethernet Blade Switch in a BladeSystem c-Class enclosure. Which steps should you take before beginning the installation? (Select two.)

- A. Power down the enclosure.
- B. Connect the switch to the LAN for configuration.
- C. Make sure that the server NIC configuration matches the interconnect bay selected.
- D. Record the media access control (MAC) address of the switch.
- E. Manually enable the switch interconnect ports 17 and 18.

**Answer: C,D**

**QUESTION NO: 9**

What functions does the Onboard Administrator perform in a c7000 Enclosure? (Select two.)

- A. communicates with the operating system on each blade
- B. manages shared power and cooling
- C. allocates processor resources
- D. provides a managed Ethernet fabric for the enclosure
- E. maintains performance logs

**Answer: B,D**

**QUESTION NO: 10**

Which types of drives are supported for the BladeSystem c-Class storage blades? (Select two.)

- A. SCSI
- B. Parallel ATA (PATA)
- C. Serial ATA (SATA)
- D. Serial Attached SCSI (SAS)
- E. Fibre Attached Technology Adapted (FATA)

**Answer: C,D**

**QUESTION NO: 11 DRAG DROP**

Click the Task button.

Match the number to the correct part of the HP BladeSystem c-Class enclosure.