

ISLEVER

HP0-081

OpenVMS System Administration

DEMO

<https://www.islever.com/hp0-081.html>

<https://www.islever.com/hp.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

Which command would you use to determine if a device is spooled?

- A. SHOW SPOOL
- B. DISPLAY SPOOL
- C. SHOW PORT
- D. SHOW DEVICE

Answer: D

QUESTION NO: 2

Prior to performing an OpenVMS upgrade, how can you preserve workload information that can be used for system tuning? Select TWO.

- A. MCR SYSGEN SAVE FEEDBACK
- B. @SYS\$UPDATE:AUTOGEN SAVPARAMS
- C. @SYS\$SYSTEM:SAVE_FEEDBACK
- D. MCR SYSMAN PARAMETERS SAVE
- E. @SYS\$SYSTEM:SHUTDOWN using the SAVE_FEEDBACK option
- F. MONITOR SYSTEM /RECORD=FEEDBACK

Answer: B,E

QUESTION NO: 3

Which command deletes a logical name TROLL from the GROUP logical name table?

- A. DEASSIGN/GROUP TROLL
- B. DELETE/TABLE=GROUP TROLL
- C. DEASSIGN/TABLE=GROUP TROLL
- D. DELETE/LOGICAL TROLL

Answer: A

QUESTION NO: 4

What are the characteristics of a DYNAMIC or a RESOURCE Identifier? Select TWO.

- A. RESOURCE IDENTIFIER can be UIC based
- B. RESOURCE IDENTIFIER can own objects

-
- C. DYNAMIC IDENTIFIER can be revoked from DCL
 - D. DYNAMIC IDENTIFIER can own objects

Answer: B,C

QUESTION NO: 5

Which AUTHORIZE flag disables a user account and prevents login?

- A. RESTRICTED
- B. DISUSER
- C. DISACC
- D. DISWELCOME

Answer: B

QUESTION NO: 6

Which situation can cause a stalled queue?

- A. device does not exist
- B. queue was stopped with an abort
- C. printer is offline
- D. symbiont is busy

Answer: C

QUESTION NO: 7

The System Manager issues ANALYZE /DISK_STRUCTURE and receives the message: %ANALDISK-W-LOSTHEADER, file (11185,234) TEST.DAT; not found in directory. What does LOSTHEADER in the error message mean?

- A. The user is not privileged to read TEST.DAT.
- B. The header is not found in INDEXF.SYS.
- C. The header is not recoverable and is lost.
- D. The file does not have a valid directorybacklink.

Answer: D

QUESTION NO: 8

A user deleted the contents of a directory on \$1\$DGA7 in error. Which command will restore the directory from the backup on MKA100:?

- A. BACKUP /REWIND/IMAGE MKA100: /SELECT=[DOUG...] \$1\$DGA7:[DOUG...]
- B. COPY MKA100:[DOUG...] \$1\$DGA7:[DOUG...]
- C. BACKUP /REWIND MKA100: /SELECT=[DOUG...] \$1\$DGA7:[DOUG...]
- D. RESTORE /REWIND MKA100: /SELECT=[DOUG...] \$1\$DGA7:[DOUG...]

Answer: C

QUESTION NO: 9

What is the lexical function F\$MESSAGE used for?

- A. to determine the number of new mail messages for the current user
- B. to send a message to the system operator
- C. to return the message text associated with a specified system status code value
- D. to retrieve a message sent by the system operator to the current user

Answer: C

QUESTION NO: 10

What is the default location of the queue database?

- A. SYS\$MANAGER
- B. SYS\$SYSTEM
- C. SYS\$PRINT
- D. SYS\$QUEUE

Answer: B

QUESTION NO: 11

Which command boots a node from the network?

- A. BOOT EWA0
- B. BOOT -FLAGS 0,1 DGA100
- C. BOOT/DEV= EWA0 DGA100
- D. BOOT DGA100