## ISLEVER

# HP0-083

OpenVMS Network Administration

**DEMO** 

https://www.islever.com/hp0-083.html

https://www.islever.com/hp.html

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

#### **QUESTION NO: 1**

What happens if the "Retransmit Threshold" of the OSI transport is exceeded?

- A. server process exits
- B. connection is dropped
- C. DECnet hangs
- D. system shuts down

**Answer: B** 

#### **QUESTION NO: 2**

A customer requires that users can establish interactive sessions across the network, but they will NOT allow passwords to be sent in the clear. What can you use to satisfy this dual requirement?

- A. RSH
- B. SSH
- C. RLOGIN
- D. SET HOST

Answer: B

#### **QUESTION NO: 3**

Which DECnet configuration files need to be kept synchronized in an OpenVMS cluster? Select TWO.

- A. NETOBJECT.DAT
- **B. NET\$MANAGE.DAT**
- C. NET\$SECURITY.DAT
- D. NETNODE LOCAL.DAT
- E. NETPROXY.DAT/NET\$PROXY.DAT

Answer: A,E

### **QUESTION NO: 4**

What is a similarity between TCPIP proxy and DECnet proxy?

- A. both use the same proxy database
- B. both allow remote users anonymous access

1

C. both use AUTHORIZE to manage their database

D. both allow remote users to transparently access files

**Answer: D** 

**QUESTION NO: 5** 

What do you do to preserve site-specific parameter settings and commands for a specific TCPIP service?

A. Edit SYS\$SYSTARTUP:TCPIP\$SYSTARTUP.COM.

B. Edit SYS\$SYSTEM:TCPIP\$SYSTARTUP.COM.

C. Create files of the form SYS\$SYSTEM:TCPIP\$service\_SYSTARTUP.COM.

D. Create files of the form SYS\$STARTUP:TCPIP\$service\_SYSTARTUP.COM.

**Answer: D** 

**QUESTION NO: 6** 

You have a system with three network adapters. How would you benefit from having two adapters on the same subnet?

A. network connectivity failover

B. load balancing of MOP traffic

C. route two networks through OpenVMS system

D. allows the system to use one adapter for send and the other for receive

Answer: A

**QUESTION NO: 7** 

How many bits are in an IPv4 address?

A. 4

B. 8

C. 16

D. 32

E. 64

Answer: D

QUESTION NO: 8
How many bits are in an IPv6 address?
A. 32
B. 64
C. 128
D. 256
Answer: B
QUESTION NO: 9
How many hosts can be configured using the IP network and subnet mask shown below? 10.66.96.0 255.255.255.192
A. 62
B. 64
C. 191
D. 192
E. 254
Answer: A
QUESTION NO: 10
Which network device forwards packets between IP subnets?
A. bridge
B. hub
C. switch
D. router
Answer: D
QUESTION NO: 11
Which protocol does GateD use to advertise routes?

A. ARP

B. ICMP

C. OSPF