ISLEVER

HP0-084

HP Integrity Server Multi-OS Installation&Deployment

DEMO

https://www.islever.com/hp0-084.html

https://www.islever.com/hp.html

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

Which EFI menu option do you use to remove the boot options before installing an operating system?

- A. Boot option Maintenance Menu
- B. EFI Shell
- C. Manage Boot Option Menu
- D. System Configuration Menu

Answer: A

QUESTION NO: 2

You are trying to enable Virus Throttle support for Windows Server 2003 on an Integrity System, but you are not able to activate it. What must you do to enable the virus throttle feature?

- A. Install a valid Integrity Essentials Intelligent Networking Pack license
- B. Install SNMP support with Web-BasedEnterprise Management (WBEM) functionality
- C. Install HP System Management Homepage support
- D. Install and configure Network Adapter Teaming First

Answer: A

QUESTION NO: 3

Which components are used in a Virtual Server Environment (VSE)? (Choose three.)

- A. Virtualization Manager
- B. Performance Management Pack
- C. Capacity Advisor
- D. Global Workload Manager
- E. Operations Manager
- F. Data Collector Agent

Answer: A,C,D

QUESTION NO: 4

An Integrity rx2620 server with Windows Server 2003 is running terminal services but has stopped responding. Which MP command do you use to shutdown gracefully and power off the server?

1

- A. pc -g
- B. rs -g
- C. rs -off
- D. pc off

Answer: A

QUESTION NO: 5

You replaced a DIMM in an integrity rx640 server that was previously deconfigured by the operating system. How can you reconfigure the DIMM before booting to the Operating System, if it is not reconfigured automatically?

- A. Use the ss command at the Management processor command menu
- B. Use the Offline Diagnostics Environment (ODE) Utility MEMDIAG
- C. Use the memconfig command at the EFI shell
- D. You can't manually reconfigure the DIMM before booting the operating system
- E. At the EFI Boot Manager menu, go to System Configuration, then choose Set System Defaults

Answer: D

QUESTION NO: 6

.Where is the EFI user interface shell program stored on an Integrity rx640 server?

- A. EFI System partition (ESP)
- B. Hardware System BIOS
- C. System Firmware
- D. HP-UX 11i system partition

Answer: C

..........

QUESTION NO: 7

You need to generate an SSL Certificate to access the MP. Which command do you use?

- A. SO
- B. CR RSA
- C. CA
- D. DC

Answer: A

QUESTION NO: 8

How can you determine the firmware version that is running on an HP Integrity system? (Choose

two.)

A. At the EFI boot Manager menu, go to the system configuration menu, enter the Advanced

System Information menu and select Firmware information

B. AT the EFI boot Manager menu, go to the Firmware menu and select version

C. At the MP main menu, go to the Command Menu (cm) and enter sysrev

D. At the EFI Boot Manager menu, go to the EFI shell enter info system

E. Boot the SmartSetup DVD; then at the command shell, enter version

Answer: A,C

QUESTION NO: 9

You are updating the SCSI card in an integrity server. Where can you find the EFI utility and

firmware files that you can use to update this SCSI card? (Choose two.)

A. Offline Diagnostics and Utilities DVD

B. HP Integrity Essentials Foundation pack for Linux

C. The HP Website

D. HP-UX Patch DVD

E. Firmware Maintenance DVD

Answer: A,C

QUESTION NO: 10

Which statement describes the user interface to configure the EFI Boot Manager?

A. Use arrow keys to highlight a menu enter, then press enter to select

B. Use GUI pull-down and pop-up menus to enter configuration data

C. Enter configuration information and commands into the command line

D. Double-click to select configuration information and commands

Answer: A

3