# ISLEVER

# **HP0-J49**

Designing and Implementing HP Cloud Solutions Using 3PAR

**DEMO** 

https://www.islever.com/hp0-j49.html

https://www.islever.com/hp.html

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

# **QUESTION NO: 1**

What is a key advantage of an HP 3PAR solution?

- **A.** The solution is designed primarily as a cloud offering.
- **B.** It uses finely granular distribution across an entire disk group.
- C. Data is distributed across entire RAID sets.
- **D.** Storage can be provisioned in as few as two commands.

Answer: D Explanation:

# **QUESTION NO: 2**

Which user privileges are needed to create tasks to be initiated by the System Scheduler using the CLI? (Select two.)

- A. Super
- B. Browse
- C. Edit
- D. Service
- E. Admin

Answer: A,D Explanation:

### **QUESTION NO: 3**

You are in a meeting with a customer and they have asked if the 3PAR storage array is a good fit for them. Which customer needs are best met by the 3PAR architecture?

- A. the customer that has random I/O workload and wants to achieve greater VM density
- **B.** the customer whose primary requirement is sequential performance
- C. the customer with a large data warehouse application
- **D.** the customer with long term image archiving requirements

Answer: C Explanation:

#### **QUESTION NO: 4**

When deploying a F400 with a single magazine in the chassis, what is the minimum upgrade building block allowed in an F-Class?

- A. There must be the same types of drives as in the initial system.
- **B.** A minimum of two ports for backend disk connectivity is required.
- **C.** There must be the same number of drives as the initial system.
- **D.** An upgrade must be performed with a minimum of eight drives.

Answer: A Explanation:

#### **QUESTION NO: 5**

Which statement is true about Virtual Lock on an HP 3PAR array?

- **A.** Virtual Lock functionality is included in the base product.
- **B.** Virtual Lock sets a read-only flag to a volume to prevent overwriting the volume. However, it can be deleted.
- **C.** Virtual Lock prevents a volume from being deleted intentionally or unintentionally before the retention period elapses.
- **D.** Virtual Lock can be used to specify the retention period for each volume, but not a copy of a volume.

Answer: C

**Explanation:** 

#### **QUESTION NO: 6**

Which 3PAR InForm additional software provides savings on \$/IOPS and \$/GB?

- A. System Tuner
- B. Virtual Domains
- C. Adaptive Optimization
- D. Thin Persistence

Answer: C Explanation:

#### **QUESTION NO: 7**

When adding disk drives to a T-class drive chassis, how many drives must be added at the same time?

**A**. 2

**B.** 4

**C.** 8

**D**. 16

Answer: B

**Explanation:** 

# **QUESTION NO: 8**

Which storage-as-a-utility benefit does the HP 3PAR solution offer?

- A. consistent performance across mixed workloads
- B. Ingress data deduplication
- **C.** configurations for archiving and D2D backup
- D. lowest cost per gigabyte

**Answer: B** 

**Explanation:** 

#### **QUESTION NO: 9**

What are the minimum HP Care Pack Services for customers purchasing an HP 3PAR T-Series Array? (Select two.)

- A. HP Data Migration Service
- B. 3-Year HP Support Plus w/DMR
- C. 3-Year HP Support Plus 24
- D. HP 3PAR Storage System Installation and Startup Service
- E. 3-Year HP Critical Service

Answer: C,D Explanation: