ISLEVER

HP2-H08

Servicing HP Desktops, Workstations, and Notebooks Exam

DEMO

https://www.islever.com/hp2-h08.html

https://www.islever.com/hp.html

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

Note: The answer is for reference only, you need to understand all question.

QUESTION 1

What must you do to optimize the performance of a 64-bit processor?

- A. Install 64-bit compatible RAM.
- B. Enable bit control in the BIOS.
- C. Use a 64-bit operating system.
- D. Install faster system memory.

Answer: C

QUESTION 2

A monitor is moved to a new computer. Upon power-up the screen message Theft Mode Enabled displays. How can you restore the monitor to normal operation? (Select two.)

- A. Obtain the master PIN from the system administrator.
- B. Disable the Theft Mode in HP Display Utility.
- C. Enter the PIN in HP Display Assistant Utility.
- D. Return the monitor to original computer and disable Theft Mode.
- E. Press and hold the reset button on the back of the monitor.

Answer: BD

QUESTION 3

What is the primary function of MXM graphics modules in portables?

- A. provides the ability to use scalable link interface (SLI) graphic processors
- B. allows the graphics processor to be easily upgraded
- C. provides high-definition hardware support
- D. allows an embedded video chipset installation

Answer: B

QUESTION 4

What is the difference between a frontside bus (FSB) and Intel QuickPath?

A. QuickPath connects the memory controller to the I/O controller; FSB connects the CPU to

1

1

the chipset.

- B. QuickPath is a peripheral data bus; FSB is a CPU data bus.
- C. QuickPath is a graphics controller bus; FSB is a CPU data bus.
- D. QuickPath provides faster CPU data transfer speeds than the FSB.

Answer: A

QUESTION 5

HOTSPOT

Click the part of the graphic that identifies the Mobile PCI eXpress Module (MXM) card.

















QUESTION 6

Which statement about SATA technology is correct?

- A. SAS hard drives can be connected to a SATA controller.
- B. SATA hard drives can be connected directly to a SCSI controller.
- C. SATA hard drives can be connected to a SAS controller.
- D. SATA hard drives can be installed in a daisy chain configuration.

Answer: C

QUESTION 7

What is the difference between SATA and eSATA?

- A. SATA has more drive options.
- B. eSATA uses an external port.
- C. SATA has lower power consumption.
- D. eSATA uses a faster bus speed.

Answer: B

QUESTION 8

Which function does the Wireless LAN 802.11 n standard provide?

- A. uses the same antenna to receive and transmit simultaneously
- B. operates in the 2.4GHz frequency range only
- C. uses two or more transmitter and receiver antennas
- D. provides more security features than 802.11

Answer: C

QUESTION 9

What is a benefit of HP DieamColor technology?

- A. It automatically locates and hides defective pixels by changing their color.
- B. It allows the use of a digitizer for point-and-click display functionality.
- C. It produces consistent color across digital devices and applications.
- D. It adjusts the color of the display according to the external light sources.

Answer: C

3