

ISLEVER

JN0-100

Juniper Networks Certified Internet Associate
(JNCIA-JUNOS)

DEMO

<https://www.islever.com/jn0-100.html>

<https://www.islever.com/juniper.html>

For the most up-to-date exam questions and materials, we recommend visiting our website, where you can access the latest content and resources.

QUESTION NO: 1

Which major J-Web menu should you use to upgrade the JUNOS software on the router?

- A. Monitor
- B. Maintain
- C. Diagnose
- D. Configuration

Answer: B

QUESTION NO: 2

How many IP addresses can be configured in a given interface?

- A. one primary and one secondary IP address
- B. one IP address
- C. as many IP addresses as you want
- D. one primary and multiple secondary IP addresses

Answer: C

QUESTION NO: 3

On a Juniper router, what is the default file used for syslog messages?

- A. system
- B. errors
- C. security
- D. messages

Answer: D

QUESTION NO: 4

Which command is a valid way to view the status of an interface?

- A. > show interfaces fe-0/0/0 extensive
- B. > show interfaces fe-0/0/0 status
- C. > show interfaces fe-0/0/0 health-info
- D. > show interfaces fe-0/0/0 verbose

Answer: A

QUESTION NO: 5

Which statement is correct about the validate option when upgrading JUNOS software?

- A. It will check the MD5 checksum of the install package.
- B. It will check if the device meets the memory requirements for the install package.
- C. It will check the compatibility of the configuration with the install package.
- D. It will check if the device meets the storage requirement for the install package.

Answer: C

QUESTION NO: 6

Which three statements are true of dynamic routing protocols? (Choose three.)

- A. They are scalable.
- B. They are Dijkstra based.
- C. They share network layer reachability information among neighbors.
- D. They automate next hop decisions..
- E. They are tolerant of configuration errors.

Answer: A,C,D

QUESTION NO: 7

Click the Exhibit button.

The routing policy shown in the exhibit has been applied as an export policy under protocols OSPF. The static route for destination 10.1.1.0/24 is not being advertised as it was expected.

[edit policy-options policy-statement accept-10]

```
lab@London# show term 1 {
from protocol static;
then reject;
}
term 2 {
from {
protocol static;
route-filter 10.1.1.0/24 exact;
}
then accept;
```

}

How can the configuration be corrected to allow the route to be advertised?

- A. rename term 2 to term 1
- B. rename term 1 to term 3
- C. insert term 1 after term 2

Answer: C

QUESTION NO: 8

What represents the decimal equivalence of 11000000 10101000 10101100 11110001?

- A. 192.168.184.201
- B. 192.168.172.241
- C. 192.170.172.237
- D. 192.170.184.221

Answer: B

QUESTION NO: 9

On a Juniper Router, where is the JUNOS software located?

- A. EPROM
- B. Zip drive
- C. hard drive
- D. compact flash

Answer: D

QUESTION NO: 10

Which two statements regarding JUNOS architecture are correct? (Choose two.)

- A. The Routing Engine handles all exception traffic.
- B. The Routing Engine synchronizes the route table with the PFE.
- C. The Routing Engine is hot-pluggable.
- D. The Routing Engine controls the PFE.

Answer: C,D