ISLEVER

JN0-1330

Security Design, Specialist (JNCDS-SEC)

DEMO

QUESTION 1

Spotlight Secure provides which benefit?.

A. log management

B. botnet protection

C. centralized management of security devices

D. IPsec encryption

Answer: C

QUESTION 2

What are three characteristics of the integrated user firewall feature? (Choose three.)

A. RADIUS user authentication is performed.

B. Enforcement is performed at access.

C. Best-effort user authentication is performed.

D. Passive authentication is performed.

E. Enforcement is performed at the firewall.

Answer: CDE

QUESTION 3

You must design a solution to collect logs from a group of SRX Series devices using Junos Space Log

Director. You will deploy this solution on virtual machines that will support traffic peaks up to 7,500 events

per second.

How would you accomplish this task?

A. Implement one centralized log collector and continue the SRX Series clusters to forward logs to it.

B. Implement one centralized log concentrator and configure the SRX Series clusters to forward logs to it.

C. Implement one log concentrator, two log collectors, and a load balancer in front of them, configuring

SRX Series devices to forward the logs to the Load Balancer VIP interface.

D. Implement one log concentrator, three log collectors, and configure the SRX Series clusters to distribute the logs among the log collectors.

Answer: D

QUESTION 4

You are asked to implement port-based authentication on your access switches. Security and ease of access are the two primary requirements.

Which authentication solution satisfies these requirements?

A. MAC RADIUS

B. network access control

C. firewall authentication

D. IPsec tunnel

Answer: A

QUESTION 5

What is one way to increase the security of a site-to-site IPsec VPN tunnel?

A. Implement a stronger Diffie-Hellman group.

B. Change IKE Phase 1 from main mode to aggressive mode.

C. Implement traffic selectors.

D. Implement a policy-based VPN.

Answer: C

QUESTION 6

Your customer is planning the deployment of a new hub-and-spoke WAN architecture that must support

dual stack. They have decided against using a dynamic routing protocol. They are concerned about the difficulty of managing configurations and operations at the hub location as they deploy branch routers.

In this scenario, what are three reasons for selecting route-based VPNs with traffic selectors? (Choose three.)

A. Traffic selectors support IPv4 and IPv6.

B. Traffic selectors reduce the number of Phase 2 IPsec security associations.

C. Traffic selectors reduce latency because they bypass UTM.

D. Traffic selectors support auto route insertion.

E. You can define multiple traffic selectors within a single route-based VPN.

Answer: ADE

QUESTION 7

What are the three activities in the reconnaissance phase of an attack? (Choose three.)

A. Determine the device OS.

B. Scan for devices and ports to exploit.

C. Install malware.

D. Propagate the virus to servers and workstations.

E. Map the network.

Answer: ABE

QUESTION 8

Your customer is assessing their network incident response plan. They need to improve their recovery time when a networking issue occurs, especially when involves JTAC support. They have limited internal support staff and little automation experience to develop their own tools.

Which Juniper solution meets these requirements?

A. Juniper Secure Analytics